



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: ACCOUNTRESTRICT **FILE: MAR25**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
USERNAME	*	C(50)	
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
FIELD1		C(10)	
FIELD2		C(10*)	
FIELD3		C(10*)	
FIELD4		C(10*)	

TABLE: ACPERMS -- ACCESS CONTROL PERMISSIONS **FILE: ACPERMS**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DOMAINID	*	C(20)	
PERMISSIONID	*	C(50)	
DESCRIPTION		C(300)	

TABLE: ACROLEPERMS -- ACCESS CONTROL ROLE PERMISSIONS **FILE: ACROLEPERMS**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DOMAINID	*	C(20)	
ROLEID	*	C(40)	
PERMISSIONID	*	C(50)	
ACCESSVALUE		C(1)	

TABLE: ACROLES -- ACCESS CONTROL ROLES **FILE: ACROLES**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DOMAINID	*	C(20)	
ROLEID	*	C(40)	
DESCRIPTION		C(300)	

TABLE: ACUSERPERMS -- ACCESS CONTROL ROLE PERMISSIONS **FILE: ACUSERPERMS**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DOMAINID	*	C(20)	
USERID	*	C(50)	
PERMISSIONID	*	C(50)	
ACCESSVALUE		C(1)	

TABLE: ACUSERROLES -- ACCESS CONTROL USER ROLES **FILE: ACUSERROLES**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DOMAINID	*	C(20)	
USERID	*	C(50)	
PRIORITY	*	N(3)	
ROLEID	*	C(40)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: AGENTMASTER

FILE: MAR16

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
AGENTCODE	*	C(10)	
AGENTNAME		C(30)	
BROKERCODE		C(10)	
ADDRESS1		C(30)	
ADDRESS2		C(30)	
CITY		C(30)	
STATE		C(2)	
ZIP		C(9)	
PHONENUMBER		C(10)	
EXTENSION		C(10)	
FAXNUMBER		C(10)	
CELLNUMBER		C(10)	
PAGERNUMBER		C(10)	
EMAILADDRESS		C(80)	
FIELD1		C(40)	
FIELD2		C(40)	
FIELD3		C(40)	
FIELD4		C(40)	
FIELD5		C(40)	
FIELD6		C(40)	

TABLE: AOSOPTIONDETAIL -- AGREEMENT OF SALES OPTIONS

FILE: CAN23

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
OPTIONCODE	*	C(5)	
LOCATION		C(30)	
QUANTITY		C(10)	
DESCRIPTION		C(40)	
TERMINATOR		C(1*)	
SALESPRICE		N(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: APBANKMASTER

FILE: APF00

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BANKCODE	*	C(1)	
DESCRIPTION		C(30)	
GLACCOUNT		C(9)	
BANKACCTNUMBER		C(20)	
INTERESTARNED		C(9)	
INTERESTEXPENSE		C(9)	
PVC		C(4)	
ADDRESS1		C(30)	
ADDRESS2		C(30)	
BANKTOP		C(12)	
BANKBOTTOM		C(12)	
AUXONUS		C(19)	
BANKNUMBER		C(11)	
ACCOUNTTYPE		C(19)	
CHECKNUMBER		C(6)	
BANKCHARGES		C(9)	
LASTRECDATE		C(6*)	
ENABLEELC		C(1)	
ACHID		C(9)	
ACCOUNTNUMBER		C(17)	
DESTINATIONNAME		C(23)	
IDENTIFICATIONNO		C(10)	
REFERENCECODE		C(8)	
ENTRYDESCRIPTION		C(10)	
EPAYMENTID		C(12)	
EPAYMENTACCTNUM		C(12*)	
NEXTEPNUMBER		N(6*)	
FTPSERVER		C(255*)	
USERID		C(64*)	
PASSWORD		C(64*)	
PUBLICKEYID		C(255*)	
ENCRYPTIONCMD		C(255*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: APCHECKDETAIL --

FILE: APC02

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
VENDORNUMBER	*	C(6)	
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
INVOICENUMBER	*	C(10)	
INVOICE_DATE		C(6)	
INVOICEDUE_DATE		C(6)	
DISCOUNTDUE_DATE		C(6)	
PAYCYCLE		C(2)	
MEMO		C(15)	
PAYMENT_DATE		C(6)	
GLPOSTING_DATE		C(6)	
INVOICECOMPANY		C(3)	
DEVELOPMENTCODE1		C(2)	
TERMINATOR		C(1*)	
INVOICEBALANCE		N(10*)	
DISCOUNTAMOUNT		N(10*)	
AMOUNTAPPLIED		N(10*)	
CHECKAMOUNT		N(10*)	

TABLE: APCHECKHEADER --

FILE: APC01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	Funding Company
VENDORNUMBER	*	C(6)	
INVOICECOMPANY	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
INVOICENUMBER	*	C(10)	
CHECKNUMBER		C(6)	
PAYCODE		C(2)	
CHECK_DATE		C(6)	
TERMINATOR		C(1*)	
INVOICEBALANCE		N(10*)	
DISCOUNTAMOUNT		N(10*)	
AMOUNTAPPLIED		N(10*)	
CHECKAMOUNT		N(10*)	
INVOICECOUNT		N(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: APCHECKHISTORY **FILE: SIG49**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICE_DATE	*	C(6)	
INVOICENUMBER	*	C(10)	
CHECKNUMBER	*	C(6)	
SEQUENCENUMBER	*	C(2)	
CHECK_DATE		C(6)	
DISBURSINGCOMP		C(3)	
BATCHNUM		C(10)	
BANKCODE		C(1)	
CHECKTYPE		C(1*)	
CHECKAMOUNT		N(12*)	
DISCOUNTAMOUNT		N(12*)	

TABLE: APDISBDETAIL **FILE: APC04**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BANKCODE	*	C(1)	
CHECKNUMBER	*	C(6)	
CHECKTYPE	*	C(1)	
ENTITY	*	C(3)	
INVOICENUMBER	*	C(10)	
INVOICE_DATE		C(6*)	
AMOUNTAPPLIED		N(10*)	
DISCOUNTAMOUNT		N(10*)	
PVC1		N(10*)	

TABLE: APDISBHEADER **FILE: APC03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BANKCODE	*	C(1)	
CHECKNUMBER	*	C(6)	
CHECKTYPE	*	C(1)	
VENDORNUMBER		C(6)	
CHECK_DATE		C(6)	
VENDORNAME		C(24)	
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
AMOUNTAPPLIED		N(10*)	
DISCOUNTAMOUNT		N(10*)	
PVC1		N(10*)	
CHECKAMOUNT		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: APHANDCHECKHDR --

FILE: APM01H

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BANKCODE	*	C(1)	
CHECKNUMBER	*	C(6)	
CHECKTYPE	*	C(1)	
BLANKS	*	C(13)	
SEQUENCENUMBER	*	C(4)	
CHECK_DATE		C(6)	
VENDORNUMBER		C(6)	
VENDORNAME		C(24)	
CHECKCODE		C(1)	
ALTCHECKNUMBER		C(6)	
PVC		C(3)	
TERMINATOR		C(1*)	
CHECKAMOUNT		N(10*)	

TABLE: APHANDCKDIST --

FILE: APM01D

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BANKCODE	*	C(1)	
CHECKNUMBER	*	C(6)	
CHECKTYPE	*	C(1)	
INVOICENUMBER	*	C(10)	
ENTITY	*	C(3)	
SEQUENCENUMBER	*	C(4)	
DISTRIBUTIONCOMP		C(3)	
PVC		C(4)	
GLACCOUNT		C(9)	
JOBNUMBER		C(9)	
COSTCODE		C(5)	
VARIANCECODE		C(2)	
PVC1		C(5)	
OPTIONCODE		C(5)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: APHANDCKINVOICES -- **FILE: APM011**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BANKCODE	*	C(1)	
CHECKNUMBER	*	C(6)	
CHECKTYPE	*	C(1)	
INVOICENUMBER	*	C(10)	
ENTITY	*	C(3)	
SEQUENCENUMBER	*	C(4)	
INVOICECODE		C(1)	
INVOICE_DATE		C(6)	
MEMO		C(15)	
PVC		C(9)	
TERMINATOR		C(1*)	
AMOUNTAPPLIED		N(10*)	
DISCOUNTAMOUNT		N(10*)	
RETENTIONAMOUNT		N(10*)	
PVC1		N(10*)	

TABLE: APHISTAGE **FILE: SIG47**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
TRANTYPE	*	C(1)	
SEQUENCENUMBER	*	C(3)	
GLPOSTING_DATE		C(6)	
INVOICE_DATE		C(6)	
INVOICEDUE_DATE		C(6)	
CHECK_DATE		C(6)	
CHECKNUMBER		C(6)	
DISBURSINGCOMP		C(3*)	
INVOICEAMOUNT		N(10*)	
PAYAMOUNT		N(10*)	
DISCOUNTAPPLIED		N(10*)	
BATCHNUM		C(10*)	





MARK SYSTEMS

DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: APINVOICEDETAIL -- A/P Invoice detail **FILE: API02D**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
SEQUENCENUMBER	*	I(2)	
GLACCOUNT		C(9)	
JOBNUMBER		C(9)	Development & House or Building Number
COSTCODE		C(5)	
VARIANCECODE		C(2)	
PVC1		C(4)	
DISTRIBUTIONCOMP		C(3)	
OPTIONCODE		C(5)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
LOANUMBER		C(10)	
LOANDRAW		C(1)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	
PVC2		C(10*)	
UNITS		N(10*)	

TABLE: APINVOICEDIST -- RETENTION OF G/L-J/C DIST. **FILE: ERI01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
SEQUENCENUMBER	*	I(2)	
GLACCOUNT		C(9)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
PVC1		C(3)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
PVC2		C(4)	
SUBCONTRACTORFLG		C(1)	
PVC3		C(1)	
DISTCOMPANYCODE		C(3)	
OPTIONCODE		C(5)	
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: APINVOICEHEADER -- A/P Invoice Header **FILE: API02H**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
SEQUENCENUMBER	*	I(2)	
TYPECODE		C(1)	
INVOICE_DATE		C(6)	
INVOICEDUE_DATE		C(6)	
DISCOUNTDUE_DATE		C(6)	
PAYCYCLE		C(2)	
MEMO		C(15)	
TERMSCODE		C(2)	
VENDORNAME		C(24)	
APPROVEDDATE		C(6)	ITK Work Order Approved Date
USERID		C(40)	ITK Work Order Approved UserId
TERMINATOR		C(1*)	
INVOICEAMOUNT		N(10*)	
DISCOUNTAMOUNT		N(10*)	
RETENTION		N(10*)	
PVC		N(10*)	

TABLE: APINVOICEUSER -- A/P Invoice User **FILE: API04**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
VENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
USERID	*	C(25)	
COMPANYCODE		C(3)	
TERMINATOR		C(1*)	
INVOICEAMOUNT		N(10*)	

TABLE: APINVSELPAY **FILE: API90**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
USERLOCKINFO		C(32*)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: AOPENINVOICE -- OPEN INVOICE FILE **FILE: API01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
INVOICE_DATE		C(6)	
INVOICEDUE_DATE		C(6)	
DISCOUNTDUE_DATE		C(6)	
PAYCYCLE		C(2)	
MEMO		C(15)	
PAYMENT_DATE		C(6)	
PVC1		C(10)	
GLPOSTING_DATE		C(6)	
PVC2		C(19)	
TERMINATOR		C(1*)	
INVOICEAMOUNT		N(10*)	
DISCOUNTAMOUNT		N(10*)	
RETENTIONAMOUNT		N(10*)	
INVOICEBALANCE		N(10*)	
LASTPAYMENT		N(10*)	

TABLE: APREQUESTCONTROL -- Third-Party Payment Request Batch Control **FILE: APC10**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
USERID	*	C(20)	
TERMINALID	*	C(5)	
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
LOANNUMBER	*	C(10)	
REQUESTDATE	*	C(6)	
STATUS		C(10)	
BATCHNUMBER		C(10)	
TERMINATOR		C(1*)	

TABLE: APREQUESTDETAIL **FILE: APC11**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
BATCHNUMBER	*	C(10)	
VENDORNUMBER	*	C(6)	
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
INVOICENUMBER	*	C(10)	
HOUSENUMBER	*	C(4)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
OPTIONCODE	*	C(5)	
PAYEECODE		C(1)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	
DISCOUNT		N(10*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: APVENDORHISTORY **FILE: SIG48**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICE_DATE	*	C(6)	
INVOICENUMBER	*	C(10)	
MEMO		C(15)	
APPROVEDDATE		C(6)	ITK Work Order Approved Date
USERID		C(40)	ITK Work Order Approved UserId
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
INVOICEAMOUNT		N(10*)	

TABLE: APVENDORHISTSORT -- **FILE: KEN09**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CVCPREFIX	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICE_DATE	*	C(6)	
INVOICENUMBER	*	C(10)	
COMPANYCODE	*	C(3)	

TABLE: ARINVOICEDETAIL -- AR INVOICE DETAIL **FILE: ARI02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
INVOICENUMBER	*	C(10)	
SEQUENCENUMBER	*	C(4)	
DISTRIBUTIONCOMP		C(3)	
GLACCOUNT		C(9)	
JOBNUMBER		C(6)	
COSTCODE		C(5)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
OPTIONCODE		C(5)	
UNPACKEDHOUSENUM		C(8)	
GLDESCRIPTION		C(30)	
VARIANCECODE		C(2)	
DESCRIPTION		C(60)	
AMOUNT		N(12)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: ARINVOICEHEADER -- AR INVOICE HEADER **FILE: ARI01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
INVOICENUMBER	*	C(10)	
INVOICEDATE		C(6)	
DUEDATE		C(6)	
DESCRIPTION		C(60)	
CUSTOMERNAME		C(30)	
UNPACKEDHOUSENUM		C(8)	
AMOUNT		N(12)	
BALANCE		N(12)	

TABLE: ARMASTER -- AR MASTER **FILE: ARM01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
CUSTOMERNAME		C(30)	
ADDRESS1		C(25)	
ADDRESS2		C(25)	
CITY		C(20)	
STATE		C(2)	
ZIP		C(9)	
HOMEPHONE		C(10)	
WORKPHONE1		C(10)	
WORKPHONE2		C(10)	
MOBILEPHONE1		C(10)	
MOBILEPHONE2		C(10)	
EMAIL1		C(50*)	
EMAIL2		C(50*)	
LASTINVOICEDATE		C(6)	
GLACCOUNT		C(9)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
UNPACKEDHOUSENUM		C(8)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: AROPENINVOICE -- AR OPEN INVOICE **FILE: ARI03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
INVOICENUMBER	*	C(10)	
INVOICEDATE		C(6)	
DUEDATE		C(6)	
DESCRIPTION		C(60)	
PAYMENTDATE		C(6)	
GLPOSTINGDATE		C(6)	
AMOUNT		N(12)	
BALANCE		N(12)	
LASTPAYMENT		N(12)	

TABLE: ARSUBDETAIL -- AR SUBSIDIARY DETAIL **FILE: ARI05**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
INVOICENUMBER	*	C(10)	
INVOICEDATE	*	C(6)	
GLPOSTINGDATE	*	C(6)	
SOURCE	*	C(2)	
SEQUENCENUMBER	*	C(5)	
REFERENCE		C(60)	
CHECKNUMBER		C(6)	
BATCHNUM		C(10)	
GLACCOUNT		C(9)	
GLDESCRIPTION		C(30)	
COSTCODE		C(5)	
AMOUNT		N(12)	

TABLE: AUDITFILE **FILE: AUD02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SEQNO	*	C(9)	
COMPANYCODE		C(3)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
OPTIONCODE		C(5)	
USERID		C(25)	
TERMID		C(4)	
TRANSACTION_DATE		C(6)	
ACTION		C(5)	
DESCRIPTION		C(255)	
PROGRAMNAME		C(15*)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: AUDITMASTER --

FILE: AUD01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SEQNO	*	C(7)	
COMPANYCODE		C(3)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
USERID		C(25)	
TERMID		C(4)	
TRANSACTION_DATE		C(6)	
OPTIONCODE		C(5*)	
QUANTITY		N(10*)	
SALESPRICE		N(10*)	
ACTION		C(5*)	
PROGRAMNAME		C(15*)	

TABLE: AUDITPURGE -- SYSTEM DELETE AUDIT FILE

FILE: AUD03

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SEQNO	*	C(7)	
PROGRAMNAME		C(15)	
USERID		C(25)	
RUNDATE		C(6)	
PURGEDATE		C(6)	
TERMID		C(4)	
DESCRIPTION		C(512*)	

TABLE: BROKERMASTER

FILE: MAR15

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
BROKERCODE	*	C(10)	
BROKERNAME		C(30)	
ADDRESS1		C(30)	
ADDRESS2		C(30)	
CITY		C(30)	
STATE		C(2)	
ZIP		C(9)	
PHONENUMBER		C(10)	
EXTENSION		C(10)	
FAXNUMBER		C(10)	
WEBSITE		C(50)	
EMAILADDRESS		C(80)	
FIELD1		C(40)	
FIELD2		C(40)	
FIELD3		C(40)	
FIELD4		C(40)	
FIELD5		C(40)	
FIELD6		C(40)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: BUDGETNOTES

FILE: SIG99

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TRANSNO	*	C(11)	
NOTES		C(150*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: BUILDINGMASTER

FILE: SIG02

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BUILDINGNUMBER	*	C(4)	
DESCRIPTION		C(14)	
STAGE		C(1)	
RELEASE_DATE		C(6)	
TYPECODE		C(2)	
CLOSED		C(1)	
NUMBEROFUNITS		C(2)	
PVC		C(1)	
HOUSE_1		C(6)	
HOUSE_2		C(6)	
HOUSE_3		C(6)	
HOUSE_4		C(6)	
HOUSE_5		C(6)	
HOUSE_6		C(6)	
HOUSE_7		C(6)	
HOUSE_8		C(6)	
HOUSE_9		C(6)	
HOUSE_10		C(6)	
HOUSE_11		C(6)	
HOUSE_12		C(6)	
HOUSE_13		C(6)	
HOUSE_14		C(6)	
HOUSE_15		C(6)	
HOUSE_16		C(6)	
HOUSE_17		C(6)	
HOUSE_18		C(6)	
HOUSE_19		C(6)	
HOUSE_20		C(6)	
TERMINATOR		C(1*)	
PCT_HOUSE_1		N(10*)	
PCT_HOUSE_2		N(10*)	
PCT_HOUSE_3		N(10*)	
PCT_HOUSE_4		N(10*)	
PCT_HOUSE_5		N(10*)	
PCT_HOUSE_6		N(10*)	
PCT_HOUSE_7		N(10*)	
PCT_HOUSE_8		N(10*)	
PCT_HOUSE_9		N(10*)	
PCT_HOUSE_10		N(10*)	
PCT_HOUSE_11		N(10*)	
PCT_HOUSE_12		N(10*)	
PCT_HOUSE_13		N(10*)	
PCT_HOUSE_14		N(10*)	
PCT_HOUSE_15		N(10*)	
PCT_HOUSE_16		N(10*)	
PCT_HOUSE_17		N(10*)	
PCT_HOUSE_18		N(10*)	
PCT_HOUSE_19		N(10*)	
PCT_HOUSE_20		N(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: BUILDINGTYPE -- Building Type File

FILE: BAR20

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TYPECODE	*	C(2)	
DESCRIPTION		C(15)	

TABLE: CANCELLATIOND

FILE: MSS71

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CASENUMBER	*	C(9)	
SEQUENCENUMBER	*	C(3)	
CONUMBER	*	C(3)	
CO_DATE		C(6)	
ACCEPTEDDATE		C(6)	
SALESPERSONCODE		C(3)	
TERMINATOR		C(1*)	
TOTALAMOUNT		N(12*)	

TABLE: CANCELLATIONH

FILE: MSS70

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CASENUMBER	*	C(9)	
SEQUENCENUMBER	*	C(3)	
CONTRACTDATE		C(6)	
RATIFIEDDATE		C(6)	
KICKOUTDATE		C(6)	
BUYERNAME		C(30)	
SALESPERSONCODE		C(3)	
REASONCODE		C(4)	
TERMINATOR		C(1*)	
BASEPRICE		N(12*)	
LOTPREMIUM		N(12*)	
OTHERAMT1		N(12*)	
OTHERAMT2		N(12*)	
OTHERAMT3		N(12*)	

TABLE: CANCELREASONS -- Cancellation Reason File

FILE: MSS72

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
REASONCODE	*	C(4)	
DESCRIPTION		C(100)	
CANCELLATIONFLAG		C(1)	



MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: CASELOCKFILE

FILE: MSS12

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	
CONTEXT		C(20)	
USERID		C(25)	
PROSPECTNAME		C(40)	
USERNAME		C(40)	
TERMINAL		C(6)	
DATEACCESSED		C(10)	

TABLE: CASHRECDetail -- CASHRECDetail History

FILE: VAN18

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TRANSACTION_DATE	*	C(6)	
COUNTER_NUM	*	C(5)	
DIST_COMPANYCODE	*	C(3)	
SEQ_CHECK_NUM	*	C(6)	
TYPE_CODE		C(1)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
COMMENTS		C(30)	
LOAN_NUMBER		C(10*)	
AMOUNT		N(10*)	

TABLE: CASHRECDIST

FILE: VAN19

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TRANSACTION_DATE	*	C(6)	
COUNTER_NUM	*	C(5)	
DIST_COMPANYCODE	*	C(3)	
SEQ_CHECK_NUM	*	C(6)	
LINE3_NUM	*	C(3)	
ENTITY_CODE		C(3)	
GLACCOUNT		C(9)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
LOANNUMBER		C(10)	
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
AMOUNT		C(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: CASHRECHEADER -- CASHRECHEADER History **FILE: VAN17**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TRANSACTION_DATE	*	C(6)	
COUNTER_NUM	*	C(5)	
GLACCOUNT		C(9*)	
AMOUNT		N(10*)	

TABLE: CATEGORYMASTER -- Cost Category Master **FILE: SIG04**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
CATEGORYCODE	*	C(3)	
DESCRIPTION		C(15)	

TABLE: CHANGEORDERHEADE -- CHANGE ORDER ENTRY HEADER **FILE: CAN60**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CONUMBER	*	C(3)	
CO_DATE		C(6)	
MORTGAGEFLAG		C(1)	
SALESPERSON		C(3)	
ACCEPTEDDATE		C(6)	
DEPOSITPERCENT		N(10)	
PVC		C(1)	
COACCEPTEDFLAG		C(1)	
TERMINATOR		C(1*)	
DEPOSITAMOUNT		N(10*)	
TOTALPRICE		N(10*)	

TABLE: CHECKLISTCATEGORY **FILE: NHQ01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CATEGORYCODE	*	C(10)	
DESCRIPTION		C(50*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: CHECKLISTDETAIL

FILE: NHQ05

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
STEPNUMBER	*	C(5)	
ACTIVITYCODE	*	C(3)	
SEQUENCENUMBER	*	C(2)	
CHECKLISTCODE	*	C(10)	
CATEGORYCODE		C(10)	
VENDORRESPONSE		C(1)	
USERRESPONSE		C(1)	
VENDORNUMBER		C(6)	
VENDORUSERID		C(40)	
VENDORRESPDATE		C(6)	
VENDORRESPTIME		C(5)	
SUPERUSERID		C(40)	
SUPERRESPDATE		C(6)	
SUPERRESPTIME		C(5)	
VENDNOTERESP		C(200)	
USERNOTERESP		C(200*)	

TABLE: CHECKLISTHEADER

FILE: NHQ04

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
STEPNUMBER	*	C(5)	
ACTIVITYCODE	*	C(3)	
SEQUENCENUMBER	*	C(2)	
CHECKLISTCLOSED		C(1)	
VENDORNUMBER		C(6)	
VENDORUSERID		C(40)	
VENDORRESPDATE		C(6)	
VENDORRESPTIME		C(5)	
SUPERUSERID		C(40)	
SUPERRESPDATE		C(6)	
SUPERRESPTIME		C(5)	
VENDORCOMMENTS		C(400)	
USERCOMMENTS		C(400*)	



MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: CHECKLISTITEMS **FILE: NHQ02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CHECKLISTCODE	*	C(10)	
DESCRIPTION		C(100)	
CATEGORYCODE		C(10)	
VALIDRESPONSE		C(100)	
TYPE		C(1)	
NOTIFYVENDOR		C(1)	
NOTIFYSUPER		C(1)	
CONDITION		C(1*)	

TABLE: CHECKLISTMSTR -- NHQ CHECK LIST Master **FILE: NHQ03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
ACTIVITYCODE	*	C(3)	
ITEMNUMBER	*	C(4)	
CHECKLISTCODE		C(10)	
FIELD1		C(10*)	

TABLE: CHECKREC -- CHECK RECONCILIATION FILE **FILE: CKR01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BANKCODE	*	C(1)	
TYPECODE	*	C(1)	
CHECKNUMBER	*	C(6)	
OUTSTANDINGFLAG		C(1)	
TRANSACTIONCODE		C(2)	
CHECK_DATE		C(6)	
DESCRIPTION		C(32)	
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(12*)	

TABLE: CHECKRECHISTORY -- CHECK RECONCILIATION HISTORY FILE **FILE: CKR99**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BANKCODE	*	C(1)	
TYPECODE	*	C(1)	
CHECKNUMBER	*	C(6)	
OUTSTANDINGFLAG		C(1)	
TRANSACTIONCODE		C(2)	
CHECK_DATE		C(6)	
DESCRIPTION		C(32)	
USERID		C(25)	
TERMINATOR		C(4)	
PURGEDATE		C(6)	
BATCHNUM		C(10*)	
TERMINATOR		C(1*)	
AMOUNT		N(12*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: CMSCOPAYEE -- **FILE: CMS23**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
COPAYEENAME		C(50)	
TERMINATOR		C(1*)	

TABLE: CMSCTDETAIL **FILE: CMS02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CONTRACTNUMBER	*	C(10)	
LINENUMBER	*	C(3)	
CONUMBER	*	C(3)	
LSTATUS		C(1)	
VSTATUS		C(1)	
LINETYPE		C(1)	0=TITLE 1=DETAIL 2=SUBTOTAL
DESCRIPTION		C(50)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
QUANTITY		N(12*)	
UNITOFMEASURE		C(6)	
UNITPRICE		N(12*)	
PRIORQNTYBILLED		N(12*)	PRI
PRIORAMTBILLED		N(12*)	

TABLE: CMSCTMASTER **FILE: CMS01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CONTRACTNUMBER	*	C(10)	
VENDORNUMBER		C(6)	
HOUSENUMBER		C(4)	
CONTRACTDATE		C(6)	
SHORTDESCRIPTION		C(50)	
LONGDESCRIPTION		C(300)	
LASTCHANGEORDER		C(10)	
LASTINVOICEDATE		C(6)	
CREATEDBY		C(40)	
CREATEDDATE		C(6)	
UPDATEFLAG		C(1)	
RETENTIONPERCENT		N(12*)	
RETENTIONAMOUNT		N(12*)	



MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: CMSCTREIMB **FILE: CMS03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CONTRACTNUMBER	*	C(10)	
SEQ	*	C(2)	
DESCRIPTION		C(30)	
DEBITGLCODE		C(9)	
CREDITGLCODE		C(9)	
CREDITDEVHOUSE		C(10)	
TERMINATOR		C(1*)	
REIMBPERCENT		N(12*)	

TABLE: CMSJNTCHKENTRY **FILE: CMS22**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
CONTRACTNUMBER	*	C(10)	
VENDORNUMBER	*	C(6)	
PRELIENNUMBER	*	C(5)	
USERNAME		C(50)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
SUPPLIERNAME		C(50)	
RECEIVEDDATE		C(6)	
SATISFDTHRUDATE		C(6)	
WORKCOMPTHRUDATE		C(6)	
FINALRELEASEDATE		C(6)	
CREATEDBY		C(40)	all
CREATEDDATE		C(6)	
PRELIENAMOUNT		N(12*)	
SATISFIEDAMOUNT		N(12*)	
JOINTCHECKAMOUNT		N(12*)	

TABLE: CMSPRELIENS -- CMS PRE LIENS **FILE: CMS11**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
VENDORNUMBER	*	C(6)	
PRELIENNUMBER	*	C(5)	
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
SUPPLIERNAME		C(50)	
RECEIVEDDATE		C(6)	
SATISFDTHRUDATE		C(6)	
WORKCOMPTHRUDATE		C(6)	
FINALRELEASEDATE		C(6)	
CREATEDBY		C(40)	all
CREATEDDATE		C(6)	
PRELIENAMOUNT		N(12*)	
SATISFIEDAMOUNT		N(12*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: CMSVRDETAIL -- VOUCHER DETAIL **FILE: CMS24**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CONTRACTNUMBER	*	C(10)	
VOUCHERNUMBER	*	C(4)	
LINENUMBER	*	C(3)	
CONUMBER	*	C(3)	
ARCHIVED		C(3)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
QNTBILLED		N(12*)	
AMTBILLED		N(12*)	

TABLE: CMSVRHEADER **FILE: CMS21**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CONTRACTNUMBER	*	C(10)	
VOUCHERNUMBER	*	C(4)	
POSTED		C(1)	
ARCHIVED		C(1)	
MEMO		C(30)	
PMTREQNUMBER		C(5)	
WORKCOMPTHRUDATE		C(6)	
APPROVED		C(1)	
INVOICED		C(1)	
APPROVEDDATE		C(6)	
INVOICEDDATE		C(6)	
POSTEDDATE		C(6)	
RETENTIONPERCENT		N(12*)	
RETENTIONAMOUNT		N(12*)	

TABLE: CMSVRINVOICES -- Voucher Invoices **FILE: CMS25**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CONTRACTNUMBER	*	C(10)	
VOUCHERNUMBER	*	C(4)	
INVCOMPANYCODE	*	C(3)	
INVENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
ARCHIVED		C(1)	
USERID		C(40)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: CODETAIL

FILE: CAN61

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CONUMBER	*	C(3)	
ADDDELETEFLAG	*	C(1)	
OPTIONCODE	*	C(5)	
LOCATION		C(240)	
QUANTITY		C(10)	
DESCRIPTION		C(1200)	
TERMINATOR		C(1*)	
SALESPRICE		N(10*)	

TABLE: COEMATERIALLISTD

FILE: COE04

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CASENUMBER	*	C(9)	
OPTIONCODE	*	C(5)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
PRODUCTCODE	*	C(25)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
ORIENTATION		C(1)	
DISTRIBUTIONCODE		C(5)	
ALTVENDOR		C(6)	
ADDREPLACE		C(1)	
INHERITQUANTITY		N(10)	
DETAILQUANTITY		N(10)	
TOTALQUANTITY		N(10)	
UNITCOST		N(10)	
EXTCOST		N(10)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: COEMATERIALLISTH

FILE: COE03

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CASENUMBER	*	C(9)	
OPTIONCODE	*	C(5)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
HEADDATE		C(6)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
ORIENTATION	*	C(1)	
DEFAULTVENDOR		C(6)	
STAGE		C(1)	
DESCRIPTION		C(300)	
MATERIALLISTAMOU		N(10)	

TABLE: COLORGROUPDETAIL --

FILE: MAR22

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
COLORGROUPCODE	*	C(10)	
COLORITEMCODE	*	C(10)	
DESCRIPTION		C(100)	
TERMINATOR		C(1*)	

TABLE: COLORGROUPMASTER --

FILE: MAR21

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
COLORGROUPCODE	*	C(10)	
DESCRIPTION		C(60)	
TERMINATOR		C(1*)	

TABLE: COLORITEMCSTCODE

FILE: DEL22

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
ITEMCODE	*	C(3)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	



MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: COLORITEMMASTER **FILE: DEL20**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
ITEMCODE	*	C(3)	
DESCRIPTION		C(20)	
STAGECODE		C(1)	
AOSFLAG		C(1)	
COLORGROUPCODE		C(10)	
TERMINATOR		C(1*)	

TABLE: COMPANYMASTER -- COMPANY NAMES **FILE: MAR00**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
COMPANY_NAME		C(60)	

TABLE: COMPANYNAME **FILE: MAR02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANY	*	C(3*)	
CONAME		C(60*)	

TABLE: CONTRACTHEADER -- Contract (Schedule A) Header **FILE: SMC14**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
DEVELOPMENTCODE	*	C(2)	
CATEGORYCODE	*	C(3)	
CONTRACTDATE		C(6)	
TERMSCODE		C(2)	
EFFECTIVEDATE		C(6)	
EXPIRATIONDATE		C(6)	
TERMINATOR		C(1*)	

TABLE: CONTRACTHOUSES **FILE: AND20**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
CONTRACTNUMBER	*	C(6)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
UNPACKEDHOUSENUM		C(10*)	
TERMINATOR		C(1)	



MARK SYSTEMS

DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: CONTRACTMASTER **FILE: AND02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
CONTRACTNUMBER	*	C(6)	
DEVELOPMENTCODE		C(2)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VENDORNUMBER		C(6)	
EXPIRATIONDATE		C(6)	
OPTIONCODE		C(5)	
STAGECODE		C(1)	
COMBINEWITHCODE		C(5)	
SCOPE		C(300)	
UPDATEFLAG		C(1)	
EFFECTIVEDATE		C(6)	
TAXABLE		C(1)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: COSDETAIL -- C/R Cost of Sales Detail **FILE: QTR06**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TRANSACTIONDATE	*	C(6)	
ITEMNUMBER	*	C(3)	
SEQUENCENUMBER	*	C(3)	
PVC		C(6)	
DISTRIBUTIONCOMP		C(3)	
GLACCOUNT		C(9)	
JOBNUMBER		C(6)	Development & House or Building Number
COSTCODE		C(5)	
OPTIONCODE		C(5)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
VARIANCECODE		C(2)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: COSHEADER -- C/R Cost of Sales Header **FILE: QTR05**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TRANSACTIONDATE	*	C(6)	
ITEMNUMBER	*	C(3)	
HOUSENUMBER		C(6)	
UNPACKEDDATE		C(8)	
UPHOUSENUMBER		C(10)	
TERMINATOR		C(1*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: COSSALESDETAIL **FILE: SIG52**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
TRANSACTION_DATE	*	C(6)	
SEQUENCENUMBER	*	C(5)	
SOURCECODE		C(2)	
REMARKS		C(52)	
OPTIONCODE		C(5)	
VARIANCECODE		C(2)	
MEMO		C(24)	
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: COSSALESSUMMARY **FILE: SIG51**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2*)	
BUDGETAMOUNT		N(10*)	
ACTUAL		N(10*)	
ORIGINALBUDGET		N(10*)	

TABLE: COSTCATBREAKS -- Cost Category Breaks (RO) **FILE: SIG60**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
BREAKID	*	C(3)	
MINCATEGORY		C(3)	
MAXCATEGORY		C(3)	
DESCRIPTION		C(20)	
GLSUFFIX		C(3)	
HRFLAG		C(1)	

TABLE: COSTCODEMASTER -- COST CODE MASTER FILE **FILE: SIG05**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
DESCRIPTION		C(29)	
INACTIVE		C(1)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: COUPGRADEDETAIL **FILE: CAN83**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CONUMBER	*	C(3)	
OPTIONCODE	*	C(5)	
SELECTIONSEQ	*	C(2)	
UPGRADELEVEL		C(3)	
SELECTIONITEM		C(6)	
DESCRIPTION		C(100)	
TERMINATOR		C(1*)	
UNITS		N(10*)	
COST		N(10*)	
PRICE		N(10*)	
EXTENDEDPRICE		N(10*)	

TABLE: CRDETAIL -- **FILE: SIG18**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
CRNUMBER	*	C(6)	
ENTITY	*	C(3)	
ITEMNUMBER	*	C(6)	
TYPECODE		C(1)	
JOBNUMBER		C(6)	
COMMENTS		C(30)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
UPHOUSENUMBER		C(10)	
INVOICENUMBER		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: CRDISTRIBUTION -- CR DISTRIBUTION (TEMP WORK FILE) FILE: SIG19

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
CRNUMBER	*	C(6)	
ENTITY	*	C(3)	
ITEMNUMBER	*	C(6)	
SEQUENCENUMBER	*	C(3)	
DISTRIBUTIONCOMP		C(3)	
GLACCOUNT		C(9)	
JOBNUMBER		C(6)	
COSTCODE		C(5)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
OPTIONCODE		C(5)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
VARIANCECODE		C(2)	
INVOICENUMBER		C(10)	
ADDENDUMNUMBER		C(3)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: CRHEADER -- FILE: SIG17

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
CRNUMBER	*	C(6)	
CASHGLACCOUNT		C(9)	
CR_DATE		C(6)	
UNPACKEDDATE		C(8)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: CUSTDEPOSITDTL FILE: SIG38

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
DEPOSIT_DATE	*	C(6)	
SEQUENCENUMBER	*	C(5)	
REMARKS		C(25)	
DEPOSITTYPE		C(1)	
BATCHNUM		C(10*)	
AMOUNT		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: CUSTOMOPTSTDTL **FILE: COE02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CASENUMBER	*	C(9)	
OPTIONCODE	*	C(5)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
FIELD1		C(6)	
STATUS		C(1)	
VENDOR		C(6)	
STAGE		C(1)	
COMBINEWITHCODE		C(5)	
TAXABLE		C(1)	
BUDGETAMOUNT		N(12)	
SCOPE		C(300)	

TABLE: CUSTOMOPTSTHDR **FILE: COE01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CASENUMBER	*	C(9)	
OPTIONCODE	*	C(5)	
ESTIMATORFLAG		C(1)	
ACCEPTEDFLAG		C(1)	
BUYERLASTNAME		C(30)	
COLORGROUPCODE		C(10)	
EXPIRATIONDATE		C(6)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
HOUSENUMBER		C(8)	
CUTOFFSTAGE		C(1)	
LOCATION		C(240)	
DESCRIPTION		C(1200)	
TERMINATOR		C(1)	
SALESPRICE		N(12)	
QUANTITY		N(10*)	



MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: DD_COLS --

FILE: (DICTIONARY)/DD_COLS.

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TABLE_QUALIFIER		C(10*)	
TABLE_OWNER		C(40*)	
TABLE_NAME	*	C(16*)	
SEQ	*	C(16*)	
COLUMN_NAME		C(4)	
	*	C(16*)	
DATA_TYPE		I(2)	
TYPE_NAME		C(16*)	
PRECISION		I(4)	
LENGTH		I(4)	
SCALE		I(2)	
RADIX		I(2)	
NULLABLE		I(2)	
REMARKS		C(200*)	

TABLE: DD_FIELD -- Attributes of each field

FILE: (DICTIONARY)FIELD.1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_FILE_ID	*	C(16)	File Alias Identification
DD_FIELD_ID	*	C(16)	Field Name
DD_TITLE		C(30*)	Report Title
DD_LABEL		C(30*)	PROMPT FOR Label
DD_DESCR		C(30*)	Field Description
DD_HELPFILE		C(30*)	Field Help File
DD_PROMPT		C(30*)	A help prompt at the bottom of the screen.
DD_DEFAULT		C(30*)	The default value INIT uses.
DD_IMASK		C(30*)	The Input Mask.
DD_BMASK		C(30*)	The Background Mask.
DD_OMASK		C(30*)	The Output Mask.
DD_INPUT_FLAGS		C(10*)	Input Flags.
DD_ALT_INPUT		C(30*)	Alternative Input routine.
DD_EXPAND		C(30*)	Expand routine.
DD_COMPRESS		C(30*)	Compress routine.
DD_SEARCH		C(30*)	Search routine.
DD_APP1		C(30*)	User Defined
DD_APP2		C(30*)	
DD_APP3		C(30*)	
DD_PREC		I(1)	Precision of numeric Field.
DD_MAXLEN		U(2)	Maximum Length of Field.
DD_COLS		U(2)	Columns used for input.
DD_ROWS		U(2)	Rows used for input.



MARK SYSTEMS

DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: DD_FILE -- Information on each file

FILE: (DICTIONARY)FILE.1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_FILE_ID	*	C(16)	File Alias Identification
DD_DESCR		C(30*)	File Description
DD_PATH		C(30*)	File Alias Location
DD_CREATOR		C(16*)	Original File definition Creator
DD_MODIFIER		C(16*)	Last File definition modifier
DD_FILE_TYPE		U(1)	BBx File Type
DD_KEYSIZ		U(2)	Key size of file
DD_RECLEN		U(2)	Record Length of file
DD_RECNUM		U(4)	Number of Records for this file.
DD_M_DATE		U(4)	The last date of modification.
DD_M_TIME		U(4)	The Time of last Modification.
DD_C_DATE		U(4)	The date of Creation.
DD_C_TIME		U(4)	The Time of Creation.

TABLE: DD_FILMSC -- Miscellaneous file information

FILE: (DICTIONARY)FILMSC.1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_FILE_ID	*	C(16)	File Alias Identification.
DD_FORM		C(30*)	Default Form for this file.
DD_NARROW		C(30*)	
DD_WIDE		C(30*)	
DD_PRE_OPEN		C(30*)	Code to be executed prior to file open.
DD_POST_OPEN		C(30*)	Code to be executed after file open.
DD_PRE_CLOSE		C(30*)	Code to be executed Prior to file Close.
DD_POST_CLOSE		C(30*)	Code to be executed after file Close.
DD_APP1		C(30*)	User Defined.
DD_APP2		C(30*)	
DD_APP3		C(30*)	
DD_FLAGS		U(2)	

TABLE: DD_FILRUL -- File rules

FILE: (DICTIONARY)FILRUL.1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_FILE_ID	*	C(16)	
DD_RULE_ID		C(16)	Rule Identification.
DD_ERRMSG		C(30*)	Error Message
DD_ERRPROC		C(30*)	Error Process
DD_SUCCPROC		C(30*)	Success Process
DD_FILRUL_TYPE	*	U(1)	
DD_SEQ	*	U(2)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: DD_FLDRUL -- Field rules

FILE: (DICTIONARY)FLDRUL.1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_FILE_ID	*	C(16)	
DD_FIELD_ID	*	C(16)	
DD_RULE_ID		C(16)	Rule Identification.
DD_ERRMSG		C(30*)	Error Message
DD_ERRPROC		C(30*)	Error Process
DD_SUCCPROC		C(30*)	Success Process
DD_FLDRUL_TYPE	*	U(1)	
DD_SEQ	*	U(2)	

TABLE: DD_FREQUENCY --

FILE: (DICTIONARY)FREQUENCY.

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CATALOG	*	C(32)	
SCHEMA	*	C(32)	
TABLE	*	C(32)	
KEY_NUMBER	*	U(2)	
SEGMENTS	*	U(2)	
SCORE	*	U(4)	
MODIFIED		C(32)	
RECORD_COUNT		N(12)	
USER_ID		C(32)	
KEY_DESCRIPTION		C(2048)	

TABLE: DD_INDEX -- Segments of each index

FILE: (DICTIONARY)INDEX.1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_FILE_ID	*	C(16)	File ID
DD_INDEX_ID	*	C(16)	Index ID
DD_FIELD_ID		C(16)	Field ID
DD_KNUM		U(1)	Key Number
DD_SEQ	*	U(1)	
DD_NUM		U(2)	
DD_OFFSET		U(2)	
DD_LENGTH		U(2)	
DD_ATTR		U(1)	
DD_DESCR		C(128)	Index Description
DD_PATH		C(128)	
DD_SELECT		C(128)	
DD_ACCESS		C(128)	

TABLE: DD_INDEX_USAGE --

FILE: (DICTIONARY)

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TABLE_NAME	*	C(64)	
USEFUL_INDEX	*	C(255)	
COUNT		N(11)	





MARK SYSTEMS

DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: DD_LOCAT -- Location of each field

FILE: (DICTIONARY)LOCAT.1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_FILE_ID	*	C(16)	File ID
DD_FIELD_ID	*	C(16)	Field ID
DD_SEQ		U(2)	Numeric Sequence Field appears.
DD_FIELD_TYPE		C(16)	The Field Type (possibly a Typedef).
DD_FLAG		U(1)	
DD_TERM		U(1)	The Field Terminator.
DD_DIM		U(2)	The Field Dimension.
DD_NUM		U(2)	The BBx Style Field Number.
DD_OFFSET		U(2)	The BBx Style Field Offset.
DD_LENGTH		U(2)	The Field Length.

TABLE: DD_OTYP --

FILE: (DICTIONARY)DD_OTYP.dat

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TYPE_NAME	*	C(16*)	
DATA_TYPE		I(2)	
PRECISION		I(4)	
LITERAL_PREFIX		C(10*)	
LITERAL_SUFFIX		C(10*)	
CREATE_PARAMS		C(20*)	
NULLABLE		I(2)	
CASE_SENSITIVE		I(2)	
SEARCHABLE		I(2)	
UNSIGNED_ATTR		I(2)	
MONEY		I(2)	
AUTO_INCREMENT		I(2)	
LOCAL_TYPE_NAME		C(10*)	
MINIMUM_SCALE		I(4)	
MAXIMUM_SCALE		I(4)	

TABLE: DD_RULE -- Rule definitions

FILE: (DICTIONARY)RULE.1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_RULE_ID	*	C(16)	Rule Identification.
DD_DESCR		C(40)	
DD_PROCESS		C(30*)	Validation Criteria
DD_ERRMSG		C(30*)	Error Message
DD_ERRPROC		C(30*)	Error Process
DD_SUCCPROC		C(30*)	Success Process



MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: DD_SPEC --

FILE: (DICTIONARY)DD_SPEC.dat

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TABLE_NAME	*	C(20*)	
COLUMN_NAME	*	C(20*)	
DATA_TYPE		I(2)	
TYPE_NAME		C(16)	
PRECISION		I(4)	
LENGTH		I(4)	
SCALE		I(2)	

TABLE: DD_STAT --

FILE: (DICTIONARY)DD_STAT.dat

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TABLE_NAME	*	C(16*)	
NON_UNIQUE		I(2)	
INDEX_NAME	*	C(16*)	
TYPE		I(2)	
SEQ_IN_INDEX	*	I(2)	
COLUMN_NAME		C(16*)	
COLLATION		C(1)	

TABLE: DD_TYPDEF -- Typedef definitions

FILE: (DICTIONARY)TYPDEF.1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_TYPDEF_ID	*	C(16)	
DD_BTYPE		C(1)	The Base type this typedef is based on (CNIUFD)
DD_TITLE		C(30*)	Report Title
DD_LABEL		C(30*)	PROMPT FOR Label
DD_DESCR		C(30*)	Field Description
DD_HELPFILE		C(30*)	Field Help File
DD_PROMPT		C(30*)	A help prompt at the bottom of the screen.
DD_DEFAULT		C(30*)	The default value INIT uses.
DD_IMASK		C(30*)	The Input Mask.
DD_BMASK		C(30*)	The Background Mask.
DD_OMASK		C(30*)	The Output Mask.
DD_INPUT_FLAGS		C(10*)	Input Flags.
DD_ALT_INPUT		C(30*)	Alternative Input routine.
DD_EXPAND		C(30*)	Expand routine.
DD_COMPRESS		C(30*)	Compress routine.
DD_SEARCH		C(30*)	Search routine.
DD_APP1		C(30*)	User Defined
DD_APP2		C(30*)	
DD_APP3		C(30*)	
DD_LENGTH		I(2)	
DD_PREC		I(1)	Precision of numeric Field.
DD_MAXLEN		U(2)	Maximum Length of Field.
DD_COLS		U(2)	Columns used for input.
DD_ROWS		U(2)	Rows used for input.





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: DD_TYPRUL -- Typedef rules **FILE: (DICTIONARY)TYPRUL.1**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_TYPDEF_ID	*	C(16)	
DD_RULE_ID		C(16)	Rule Identification.
DD_ERRMSG		C(30*)	Error Message
DD_ERRPROC		C(30*)	Error Process
DD_SUCCPROC		C(30*)	Success Process
DD_TYPRUL_TYPE	*	U(1)	
DD_SEQ	*	U(2)	

TABLE: DD_VIEWCOL -- **FILE: (DICTIONARY)VCOL.1**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_VIEWNAME	*	C(16)	
DD_COLNAME	*	C(16)	
DD_COLEXPR		C(255*)	
DD_COLTYP		N(1)	

TABLE: DD_VIEWMAIN -- **FILE: (DICTIONARY)VMAIN.1**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_VIEWNAME	*	C(16)	
DD_WHERE		C(512*)	
DD_DISTINCT		C(10*)	
DD_OWNER		C(20*)	
DD_SECURITY		C(20*)	

TABLE: DD_VIEWTBL -- **FILE: (DICTIONARY)VTBL.1**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DD_VIEWNAME	*	C(16)	
DD_TBLNAME	*	C(16)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: DEVMASTER -- DEVELOPMENT MASTER FILE

FILE: SIG01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
DESCRIPTION		C(40)	
DIVISIONCODE		C(3)	
SUPERINTENDENT		C(30)	
SUPERADDRESS1		C(30)	
SUPERADDRESS2		C(30)	
SUPERCITY		C(30)	
SUPERSTATE		C(2)	
SUPERZIP		C(9)	
SUPERPHONE1		C(10)	
SUPERPHONE2		C(10)	
SUPERFAX		C(10)	
SUPERPAGER		C(10)	
SUPERCELL		C(10)	
SUPEREMAIL		C(80)	
SALESMANAGER		C(30)	
SALESADDRESS1		C(30)	
SALESADDRESS2		C(30)	
SALESCITY		C(30)	
SALESSTATE		C(2)	
SALESZIP		C(9)	
SALESPHONE1		C(10)	
SALESPHONE2		C(10)	
SALESFAX		C(10)	
SALESPAGER		C(10)	
SALESCELL		C(10)	
SALESEMAIL		C(80)	
SALESPREAPPEMAIL		C(80)	
PURCHASEPRIMARY		C(30)	
PURCHASEPHONE		C(10)	
PURCHASEFAX		C(10)	
PURCHASECELL		C(10)	
PURCHASEEMAIL		C(80)	
SALESBITMAP		C(60)	
INACTIVE		C(1)	
WARRANTYMANAGER		C(30)	
WARRANTYADDRESS1		C(30)	
WARRANTYADDRESS2		C(30)	
WARRANTYCITY		C(30)	
WARRANTYSTATE		C(2)	
WARRANTYZIP		C(9)	
WARRANTYPHONE1		C(10)	
WARRANTYPHONE2		C(10)	
WARRANTYFAX		C(10)	
WARRANTYPAGER		C(10)	
WARRANTYCELL		C(10)	
WARRANTYEMAIL		C(80)	
SONOTIFYFLAG		C(1)	
UNUSED		C(1)	
ITKPUBLISH		C(1)	
ITKPROSPECTMAIL		C(50)	
EXECEMAIL		C(50)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: DEVMASTER -- DEVELOPMENT MASTER FILE **FILE: SIG01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TERMINATOR		C(1*)	
BASEDEPPERCENT		N(10*)	
OPTIONDEPPERCENT		N(10*)	
SALESTAXPERCENT		N(10*)	

TABLE: DIVISIONMASTER -- escx **FILE: SIG16**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DIVISIONCODE	*	C(3)	
DESCRIPTION		C(30)	

TABLE: DOCLIB -- DOCUMENT LIBRARY MASTER FILE **FILE: DL00**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DOCUMENTID	*	C(12)	
DOCUMENTNAME		C(50)	
DOCUMENTDESC		C(49)	
DOCUMENTACTIVE		C(1)	
DOCUMENTCABINET		C(10)	
DOCUMENTCATEGORY		C(10)	
COMPANYCODE		C(3)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(8)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
OPTIONCODE		C(5)	
VENDORNUMBER		C(6)	
CASEID		C(10)	
CHANGEORDERNUM		C(3)	
INVOICENUMBER		C(10)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
WORKORDERNUM		C(8)	
PURCHASEORDERNUM		C(6)	
LDCONTRACTNUM		C(10)	
CREATEDBY		C(25)	
CREATEDJUL		C(7)	
CREATEDTIME		C(4)	
LASTUSEDYBY		C(25)	
LASTUSEDJUL		C(7)	
LASTUSEDTIME		C(4)	
SERVICEORDERNUM		C(5)	
CONTRACTNUMBER		C(6)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
ORIENTATION		C(1)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: DOCLIBAPPS -- Document Library Applications **FILE: DL04**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
APPEXTENSION	*	C(10)	
TERMINALID	*	C(5)	
COMMANDLINE		C(200)	

TABLE: DOCLIBCABS -- Document Library Cabinets **FILE: DL01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CABINET	*	C(10)	
CABINETNAME		C(50)	
PERMANENTFLAG		C(1*)	

TABLE: DOCLIBCATEGORIES -- Document Library Categories **FILE: DL05**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CATEGORY	*	C(10)	
DESCRIPTION		C(50)	
PERMANENTFLAG		C(1)	

TABLE: DOCLIBPROGRAMS **FILE: DL02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
PROGRAMNAME	*	C(15)	
WINDOWID	*	C(5)	
DESCRIPTION		C(40)	
DOCWINX		N(10*)	
DOCWINY		N(10*)	

TABLE: DOCLIBSCANNERS -- Document Library Scanners **FILE: DL06**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TERMINALID	*	C(5)	
PRESETNAME		C(20)	
COMMANDLINE		C(200)	
SCANNEDFILES		C(200)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: DOCLIBTYPES -- DOCUMENT LIBRARY TYPES

FILE: DL03

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
PROGRAMNAME	*	C(15)	
WINDOWID	*	C(5)	
CATEGORY	*	C(10)	
ACCEPTINPUTFLAG		C(1)	
OUTPUTFLAG		C(1)	
DELETEFLAG		C(1)	
COMPANYCODEFLAG		C(1)	
DEVCODEFLAG		C(1)	
HOUSENUMBERFLAG		C(1)	
CATEGORYCODEFLAG		C(1)	
COSTCODEFLAG		C(1)	
OPTIONCODEFLAG		C(1)	
VENDORNUMBERFLAG		C(1)	
CASEIDFLAG		C(1)	
CONUMBERFLAG		C(1)	
INVNUMBERFLAG		C(1)	
LOANNUMBERFLAG		C(1)	
LOANDRAWFLAG		C(1)	
WORKORDERNUMFLAG		C(1)	
PONUMBERFLAG		C(1)	
LDCNUMBERFLAG		C(1)	
SERVICEORDNUMFLA		C(1)	
CONTRACTNUMFLAG		C(1)	
MODELCODEFLAG		C(1*)	
ELEVATIONCODEFLA		C(1*)	
ORIENTATIONFLAG		C(1*)	

TABLE: DOCUMENTMASTER

FILE: MAR06

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
DOCUMENT	*	C(25)	
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
TERMINATOR		C(1*)	
DESCRIPTION		C(100*)	
TEXT		C(4000)	



MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: ELEVATIONBUDGETS **FILE: SIG07**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
STATUS		C(1)	
CONTRACT_DATE		C(6)	
RECORD_ORIGIN		C(55)	
TRANSNO		C(11)	
TERMINATOR		C(1*)	
BUDGETAMOUNT		N(10*)	

TABLE: ELEVATIONMASTER -- ELEVATION MASTER **FILE: SIG06**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
DESCRIPTION		C(90)	
SQUAREFOOTAGE		C(10)	
SQUAREFOOTAGE2		N(10)	
SQUAREFOOTAGE3		N(10)	
SALESPRICE		N(12)	
BITMAPFILE		C(60)	
SALESRESTRICT		C(1)	
INACTIVE		C(1)	

TABLE: ELVCOMPDEV -- Elevation Comparison Setup **FILE: MAR26**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	

TABLE: ENDOFDAYFILE -- End Of Day File **FILE: EOD02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
GLACCOUNT	*	C(9)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1*)	
AMOUNT		N(10*)	
TRANSREMARK		C(90*)	
BATCHNUM		C(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: EVENTLISTENERS -- Custom event handlers

FILE: EVENTLISTENERS

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
EVENTCLASS	*	C(40)	
SEQUENCE	*	N(2)	
ACTIVE		N(1)	
SYNCHRONOUS		N(1)	
HANDLER		C(60)	

TABLE: FOLLOWUPDETAIL -- Follow up activity detail

FILE: MSS11

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
GROUPCODE	*	C(10)	
ACTIVITYCODE	*	C(10)	
DESCRIPTION		C(200)	
TARGETFIELD		C(2)	
TARGETACTIVITY		C(10)	
ELAPSEDTIME		C(3)	
DOCUMENTNAME		C(100*)	
RESPONSIBILITY		C(3*)	

TABLE: FOLLOWUPHEADER -- Follow Up Group Header

FILE: MSS10

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
GROUPCODE	*	C(10)	
DESCRIPTION		C(100)	
QUESTIONNUMBER		C(2)	
STARTRESPONSE		C(2)	
ENDRESPONSE		C(2*)	

TABLE: FOLLOWUPTARGETS

FILE: MSS14

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TARGETFIELD	*	C(2*)	
DESCRIPTION		C(25*)	
SOURCETABLE		C(8*)	
FIELDNAME		C(25*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: FSDETAIL -- S

FILE: FSG01D

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
REPORTNUMBER	*	C(2)	
LINENUMBER	*	C(4)	'0000'
BUDGET		C(1)	
PREVIOUSYEAR		C(1)	
YTDMTD		C(1)	
HEADINGCODE		C(1)	
PVC3		C(1)	
TITLEPOSITION		C(3)	
MTDPOSITION		C(3)	
YTDPOSITION		C(3)	
PERCENTVAR		C(1)	
PERCENTCODE		C(1)	
REPORT1		C(2)	
LINE1		C(4)	
REPORT2		C(2)	
LINE2		C(4)	
UPDATEFLAG		C(1)	
DEBITCREDIT		C(1)	
PVC4		C(1)	PVC4
TERMINATOR		C(1*)	
LINETITLE		C(30*)	
LINELABEL		C(6*)	
MTDACTUAL		N(10*)	
MTDBUDGET		N(10*)	
MTDPRIORYEAR		N(10*)	
YTDACTUAL		N(10*)	
YTDBUDGET		N(10*)	
YTDPRIORYEAR		N(10*)	
PVC1		N(10*)	
PVC2		N(10*)	



MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: FSHEADER --

FILE: FSG01H

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
REPORTNUMBER	*	C(2)	
LINENUMBER	*	C(4)	'0000'
BUDGET		C(1)	
PREVIOUSYEAR		C(1)	
YTMMD		C(1)	
HEADINGCODE		C(1)	
TITLEPOSITION		C(3)	
MTDPOSITION		C(3)	
YTDPOSITION		C(3)	
UPDATEFLAG		C(1)	
CONSOLIDATEDRPT		C(2*)	
REPORTTITLE1		C(40*)	
REPORTTITLE2		C(40*)	
MTDACTUAL		N(10*)	
MTDBUDGET		N(10*)	
MTDPRIORYEAR		N(10*)	
YTDACTUAL		N(10*)	
YTDBUDGET		N(10*)	
YTDPRIORYEAR		N(10*)	
PVC1		N(10*)	
PVC2		N(10*)	

TABLE: FSHEADINGS --

FILE: FSG00

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
HEADINGCODE	*	C(1)	
LINENUMBER	*	C(3*)	
HEADINGTEXT		C(132)	
PVC1		C(18)	
TERMINATOR		C(6*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: FSMASTER --

FILE: FSG01H

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
REPORTNUMBER	*	C(2)	
LINENUMBER	*	C(4)	'0000'
BUDGET		C(1)	
PREVIOUSYEAR		C(1)	
YTDMTD		C(1)	
HEADINGCODE		C(1)	
PVC3		C(1)	
TITLEPOSITION		C(3)	
MTDPOSITION		C(3)	
YTDPOSITION		C(3)	
UPDATEFLAG		C(1)	
PVC4		C(14)	
CONSOLIDATEDRPT		C(2)	
PVC5		C(1*)	
REPORTTITLE1		C(40*)	
REPORTTITLE2		C(40*)	
MTDACTUAL		N(10*)	
MTDBUDGET		N(10*)	
MTDPRIORYEAR		N(10*)	
YTDACTUAL		N(10*)	
YTDBUDGET		N(10*)	
YTDPRIORYEAR		N(10*)	
PVC1		N(10*)	
PVC2		N(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: FSTEMP --

FILE: FSG01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
REPORTNUMBER	*	C(2)	
LINENUMBER	*	C(4)	'0000'
BUDGET		C(1)	
PREVIOUSYEAR		C(1)	
YTMMD		C(1)	
HEADINGCODE		C(1)	
TITLEPOSITION		C(3)	
MTDPOSITION		C(3)	
YTDPOSITION		C(3)	
PERCENTVAR		C(1)	
PERCENTCODE		C(1)	
REPORT1		C(2)	
LINE1		C(4)	
REPORT2		C(2)	
LINE2		C(4)	
UPDATEFLAG		C(1)	
DEBITCREDIT		C(1)	
TERMINATOR		C(1*)	
LINETITLE		C(30*)	
LINELABEL		C(6*)	
MTDACTUAL		N(10*)	
MTDBUDGET		N(10*)	
MTDPRIORYEAR		N(10*)	
YTDACTUAL		N(10*)	
YTDBUDGET		N(10*)	
YTDPRIORYEAR		N(10*)	
PVC1		N(10*)	
PVC2		N(10*)	

TABLE: GLBATCHHEADER -- GLBATCHHEADER

FILE: MAR31

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
BATCHNUM	*	C(10)	
POSTINGDATE		C(6)	
PROCESSINGDATE		C(6)	
PROCESSINGTIME		C(5)	
USERID		C(25)	
SOURCECODE		C(2)	
DESCRIPTION		C(90*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLEOD01

FILE: EOD01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
GLACCOUNT	*	C(9)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	
AMOUNT		N(12*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2000 -- G/L BUDGET & HISTORY 2000

FILE: GLH2000

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2001 -- G/L BUDGET & HISTORY 2001

FILE: GLH2001

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2002 -- G/L BUDGET & HISTORY 2002

FILE: GLH2002

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2003 -- G/L BUDGET & HISTORY 2003

FILE: GLH2003

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2004 -- G/L BUDGET & HISTORY 2004

FILE: GLH2004

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2005 -- G/L BUDGET & HISTORY 2004

FILE: GLH2005

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2006 -- G/L BUDGET & HISTORY 2004

FILE: GLH2006

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2007 -- G/L BUDGET & HISTORY 2007

FILE: GLH2007

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2008 -- G/L BUDGET & HISTORY 2008

FILE: GLH2008

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2009 -- G/L BUDGET & HISTORY 2009

FILE: GLH2009

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2010 -- G/L BUDGET & HISTORY 2010

FILE: GLH2010

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2011 -- GL BUDGET AND HISTORY 2011

FILE: GLH2011

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2012 -- GL BUDGET AND HISTORY 2012

FILE: GLH2012

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHIST2013 -- GL BUDGET AND HISTORY 2013

FILE: GLH2013

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLHISTMASTER -- G/L BUDGET & HISTORY 1999

FILE: GLH

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE		C(3)	
GLACCOUNT	*	C(9*)	
BEGINNINGBALANCE		N(11*)	
ACTUAL1		N(11*)	
ACTUAL2		N(11*)	
ACTUAL3		N(11*)	
ACTUAL4		N(11*)	
ACTUAL5		N(11*)	
ACTUAL6		N(11*)	
ACTUAL7		N(11*)	
ACTUAL8		N(11*)	
ACTUAL9		N(11*)	
ACTUAL10		N(11*)	
ACTUAL11		N(11*)	
ACTUAL12		N(11*)	
BUDGET1		N(11*)	
BUDGET2		N(11*)	
BUDGET3		N(11*)	
BUDGET4		N(11*)	
BUDGET5		N(11*)	
BUDGET6		N(11*)	
BUDGET7		N(11*)	
BUDGET8		N(11*)	
BUDGET9		N(11*)	
BUDGET10		N(11*)	
BUDGET11		N(11*)	
BUDGET12		N(11*)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: GLINTERCOMPLOANS --

FILE: GLL01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
DESCRIPTION		C(40)	
LENDERNAME		C(40)	
ACTIVEFLAG		C(1)	
TYPE		C(1)	F - Fixed V - Variable
ACTION		C(1)	
VENDORNUMBER		C(6)	
LASTPOSTDATE		C(6)	
LASTPSTSTARTDATE		C(6)	
LASTPSTENDDATE		C(6)	
USERID		C(40)	
COMMENTS		C(300)	
FIELD1		C(10*)	
FIELD2		C(10*)	
FIELD3		C(10*)	
FIELD4		C(10*)	
RATE		N(10*)	
AMOUNT1		N(10*)	
AMOUNT2		N(10*)	
AMOUNT3		N(10*)	
AMOUNT4		N(10*)	

TABLE: GLMASTER -- GL Master

FILE: CAN01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9*)	
DESCRIPTION		C(36)	
FSREP1		C(2)	
FSLINE1		C(4)	
FSREP2		C(2)	
FSLINE2		C(4)	
FSREP3		C(2)	
FSLINE3		C(4)	
PVC		C(8)	
INACTIVE		C(1)	
TERMINATOR		C(1*)	
PVCN1		N(12*)	
PVCN2		N(12*)	
PVCN3		N(8*)	
PVCN4		N(8*)	
PVCN8		N(8*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS1997

FILE: GLD1997

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANUMBER		C(10)	
DRAWTYPE		C(1*)	

TABLE: GLTRANS1998 --

FILE: GLD1998

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CO_CODE	*	C(3)	
GL_ACCOUNT	*	C(9)	
TRANS_DATE		C(6)	
TRANS_CODE		C(2)	
SEQ4_NUM		C(4)	
TRANS1_DATE		C(6)	
DR_CR_CODE		C(1)	
CASH_FLAG		C(1*)	
AMOUNT_NUM		N(10*)	
REMARK_CODE		C(1)	
TRANS_REMARK		C(30*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS1999 --

FILE: GLD1999

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CO_CODE	*	C(3)	
GL_ACCOUNT	*	C(9)	
TRANS_DATE		C(6)	
TRANS_CODE		C(2)	
SEQ4_NUM		C(4)	
TRANS1_DATE		C(6)	
DR_CR_CODE		C(1)	
CASH_FLAG		C(1*)	
AMOUNT_NUM		N(10*)	
REMARK_CODE		C(1)	
TRANS_REMARK		C(30*)	

TABLE: GLTRANS2000

FILE: GLD2000

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2001

FILE: GLD2001

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2002

FILE: GLD2002

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2003

FILE: GLD2003

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2004

FILE: GLD2004

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2005

FILE: GLD2005

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2006

FILE: GLD2006

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2007

FILE: GLD2007

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2008

FILE: GLD2008

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2009

FILE: GLD2009

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2010

FILE: GLD2010

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2011 -- GL TRANSACTIONS 2011

FILE: GLD2011

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2012 -- GL TRANSACTIONS 2012

FILE: GLD2012

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANS2013 -- GL TRANSACTIONS 2013

FILE: GLD2013

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: GLTRANSMASTER **FILE: CAN02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
TRANSACTION_DATE	*	C(6)	
TRANSACTIONCODE	*	C(2)	
SEQUENCENUMBER	*	C(4)	
TRANS2_DATE		C(6)	
DRCRCODE		C(1)	
CASHFLAG		C(1*)	
AMOUNT		N(10*)	
REMARKCODE		C(1)	
TRANSREMARK		C(90)	
BATCHNUM		C(10)	
DISTRIBUTIONCOMP		C(3)	
JOURNALNUMBER		C(6)	
INVOICENUMBER		C(10)	
VENDORNUMBER		C(6)	
BANKCODE		C(1)	
CHECKNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VARIANCECODE		C(2)	
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
DRAWTYPE		C(1*)	

TABLE: HOUSEBUDGETDTL -- Budget Detail (OPTIONAL) **FILE: BOZ55**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CATEGORYCODE	*	C(3)]
COSTCODE	*	C(2)	
OPTIONCODE	*	C(5)	
TRANSACTIONDATE	*	C(6)	
SEQUENCENUMBER	*	C(4)	
COMMENTS		C(25)	
USERID		C(25)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: HOUSECOLORS -- HOUSE COLOR SELECTIONS **FILE: DEL21**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
ITEMNUMBER	*	C(3)	
COLORSELECTED		C(100)	
TERMINATOR		C(1)	

TABLE: HOUSECOSTDETAIL **FILE: SIG10**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
TRANSACTION_DATE	*	C(6)	
SEQUENCENUMBER	*	C(5)	
SOURCECODE		C(2)	
REMARKS		C(52)	
OPTIONCODE		C(5)	
VARIANCECODE		C(2)	
MEMO		C(24)	
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(12*)	

TABLE: HOUSECOSTSUMMARY **FILE: SIG09**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2*)	
BUDGETAMOUNT		N(10*)	
ACTUAL		N(10*)	
ORIGINALBUDGET		N(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: HOUSEMASTER

FILE: SIG08

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
REMARKS		C(80)	
BLOCKNUMBER		C(6)	
LOTNUMBER		C(6)	
COMMENTS		C(80)	
RELEASE_DATE		C(6)	
JIONUMBER		C(6)	
UNUSED		C(5)	
CURRENTJOBSTART		C(2)	
LASTJOBSTART		C(2)	
BUYERNAME		C(30)	
SETTLEMENT_DATE		C(6)	
DEPOSIT_DATE		C(6)	
MISC1_DATE		C(6)	
UNUSED_2		C(2)	
FINANCING_TYPE		C(4)	
MISC2_DATE		C(6)	
MISC3_DATE		C(6)	
COSTFLAG		C(1)	
SALESRELEASEDATE		C(6)	
CONTRACT_DATE		C(6)	
RATIFIED_DATE		C(6)	
BUILDING_NUM		C(4)	
CNTRK_SUBMT_DATE		C(6)	
HOMEPHONE		C(10)	
WORKPHONE		C(10)	
OPTION_INCV_AMT		N(10)	
CLOSING_INCV_AMT		N(10)	
POINTS_INCV_AMT		N(10)	
COOP_AMOUNT		N(10)	
PERMITNUMBER		C(16)	
COOP_YN		C(1)	
UNUSED_3		C(3)	
ORIENTATION		C(1)	
LOAN_NUM		C(10)	
WARRANTYPOLICY		C(3)	
ADDRESS1		C(24)	
ADDRESS2		C(24)	
ADDRESS3		C(24)	
WARRANTY_DATE		C(6)	
UNPACKEDHOUSENUM		C(8)	
MISC4_DATE		C(6)	
BROKER_AMOUNT		N(10)	
MISC5_DATE		C(6)	
MISC6_DATE		C(6)	
MISC7_DATE		C(6)	
UNUSED2		C(2)	
UPGRADEPRICE		N(12)	
AGENTCODE		C(10)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: HOUSEMASTER

FILE: SIG08

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
BROKERCODE		C(10)	
COOP_NAME		C(3)	
HOUSE_TYPE		C(1)	
BROKER_PCT		N(5)	
LST_CHGORD_NUM		C(3)	
MISC8_DATE		C(6)	
PERMIT_DATE		C(6)	
PVC8		C(8)	
DEPOSIT_DUE		N(15)	
EST_BASE_PRICE		N(10)	
EST_OPTIONS_PRC		N(10)	
EST_LOT_PREMIUM		N(10)	
SALESMANCODE		C(3)	
TITLE_CO		C(10)	
MTG_PREQUAL_DATE		C(6)	
AOSACCEPTEDFLAG		C(1)	
EST_UPGRADE_PRC		N(10)	
RELEASENUM		C(5)	
COOP_AGENT_ADDR1		C(24)	
COOP_AGENT_ADDR2		C(24)	
NOT_USED_2		C(2)	
ESTSETTL_DATE		C(6)	
MISC9_DATE		C(6)	
WALK_THRU_DATE		C(6)	
MTG_APPROV_DATE		C(6)	
POSTAGE		C(1)	
WALK_THRU_TIME		C(4)	
AM_PM		C(1)	
UNUSED4		C(4)	
CONSTSTART_DATE		C(6)	
LOTHOLD		C(1)	
MTG_APPLIED_DATE		C(6)	
MISC10_DATE		C(6)	
WOSTAGE		C(1)	
MISC11_DATE		C(6)	
MISC12_DATE		C(6)	
BUYERSNAME1		C(30)	
BUYERSNAME2		C(30)	
BUYERSNAME3		C(30)	
PREVIOUSADDRESS1		C(24)	
PREVIOUSADDRESS2		C(24)	
PROMISSORYNOTE1		C(60)	
PROMISSORYNOTE2		C(60)	
PROMISSORY1DATE		C(6)	
PROMISSORY2DATE		C(6)	
PROMISSORYAMT1		N(15)	
PROMISSORYAMT2		N(15)	
PVC		C(7)	
WARRANTYCOMMENTS		C(21)	
PROMISSORYNOTE3		C(60)	
PROMISSORY3DATE		C(6)	
PROMISSORYAMT3		N(15)	
DEPOSITAMTPAID		C(15)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: HOUSEMASTER **FILE: SIG08**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
INS1_DATE		C(6)	
INS2_DATE		C(6)	
INS3_DATE		C(6)	
INS4_DATE		C(6)	
INS5_DATE		C(6)	
PVC1		C(4)	
CASENUMBER		C(9)	
LOTCONTRACTDATE		C(6)	
LOTRATIFYDATE		C(6)	
LOTSETTLEDATE		C(6)	
SPECFLAG		C(1)	
TERMINATOR		C(1*)	
BASEPRICE		N(10*)	
OPTIONSPRICE		N(10*)	
LOTPREMIUM		N(10*)	
NOT_USED_6		N(10*)	
DEPOSITAMOUNT		N(10*)	
MORTGAGE_AMOUNT		N(10*)	
FEE_PCT		N(10*)	
POINTS_CODE		N(10*)	
CONSTR_LOAN_AMT		N(10*)	
PCT_OF_BLDING		N(10*)	

TABLE: HOUSENOTES **FILE: MAR18**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SEQUENCENUMBER	*	C(10)	
TYPECODE		C(1)	1-Schedule,2-Cost Detail,3-Option,4-Warranty,5-Case
COMPANYCODE		C(3)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
STEPNUMBER		C(5)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
OPTIONCODE		C(5)	
SERVICEORDERNUM		C(5)	
CASENUMBER		C(9)	
FIELD1		C(10)	
FIELD2		C(10)	
FIELD3		C(10)	
FIELD4		C(10)	
CREATEDDATE		C(6)	
CREATEDTIME		C(5)	
USERID		C(40)	
COLUMN3		C(10)	
DESCRIPTION		C(50)	
NOTE		C(500)	
TERMINATOR		C(10)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: HOUSEOPTIONS **FILE: SIG15**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
OPTIONCODE	*	C(5)	
LOCATION		C(240)	
DESCRIPTION		C(1200)	
PVC		C(9)	Prior Version Compatibility
TERMINATOR		C(1*)	
SALESPRICE		N(10*)	
QUANTITY		N(5*)	

TABLE: HOUSEOPTIONSCOST **FILE: SGS01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
OPTIONCODE	*	C(5)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
VENDOR		C(6)	
STAGE		C(1)	
COMBINEWITHCODE		C(5)	
TAXABLE		C(1)	
TERMINATOR		C(1*)	
BUDGETAMOUNT		N(10*)	
ACTUAL		N(10*)	

TABLE: HOUSEOPTUPGRADE -- HOUSE OPTION UPGRADE **FILE: CAN84**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
OPTIONCODE	*	C(5)	
SELECTIONSEQ	*	C(2)	
UPGRADELEVEL		C(3)	
SELECTIONITEM		C(6)	
DESCRIPTION		C(100)	
TERMINATOR		C(1*)	
UNITS		N(10*)	
COST		N(10*)	
PRICE		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: HOUSERESTRICTION -- House Restriction **FILE: MAR23**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	

TABLE: IHMSUSERS -- IHMS USERS **FILE: MARSEC**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
USERNAME	*	C(25)	
PASSWORD		C(50*)	
TERMINALID		C(3)	
FULLNAME		C(40*)	
GROUPCODE		C(1*)	
GROUPNAME		C(50*)	
COMPFLAG		N(1*)	
IAMODULES		C(2000*)	
IAPROGRAMS		C(2000*)	

TABLE: IPCDETAIL -- BBx to BBj IPC **FILE: IPC02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
UID	*	N(9)	
DIRECTION	*	C(6)	
SEGMENT	*	N(3)	
SEGMENTDATA		C(1000)	

TABLE: IPCHEADER -- BBx to BBj IPC **FILE: IPC01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
UID	*	N(9)	
SESSIONID		C(3)	
STATUS		C(5)	
MSGTYPE		C(20)	
REQLEN		N(10)	
RESPLEN		N(10)	

TABLE: ITKDBEVENTQUEUE **FILE: MARDB01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
EVENTID	*	N(9)	
TARGETTYPE		C(3)	
TARGETID		C(30)	
EVENTTYPE		C(40)	
DATAKEY		C(30)	
POSTEDDATE		C(6)	
DATASTORE1		C(100)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: ITKDBHISTORY

FILE: MARDB02

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
EVENTID	*	N(9)	
TARGETTYPE		C(3)	
TARGETID		C(30)	
EVENTTYPE		C(40)	
DATAKEY		C(30)	
ACTIONDATE		C(6)	
ACTIONTAKEN	*	C(30)	
ACTIONUSERID		C(50)	
DATASTORE1		C(100)	

TABLE: ITKDBSTATS -- ITK DASHBOARD STATISTICS

FILE: MARDB03

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TARGETTYPE	*	C(3)	
TARGETID	*	C(30)	
LASTCLEASEDDATE		C(6)	
CURRENTCOUNT		N(10*)	

TABLE: ITKFINALAPPROVAL -- ITK FINAL APPROVALS

FILE: ITKFA

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
INVOICENUMBER	*	C(10)	
APPROVED_DATE		C(6)	
PAY_STATUS		C(1)	
APPROVEDBY		C(25)	

TABLE: ITKHTML -- ITK HTML/TEXT DATA

FILE: ITKHTML

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
TYPE	*	C(20)	
TEXT		C(2000)	

TABLE: ITKNONPAYPO -- ITK NON PAYMENT PURCHASEORDERS

FILE: ITK07

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
PONUMBER	*	C(6)	
REASONCODE		C(4*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: ITKNONPAYREASONS -- ITK NON PAYMENT REASONS **FILE: ITK05**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
	*	C(4)	
DESCRIPTION		C(30*)	
FIELD1		C(50*)	
FIELD2		C(50*)	

TABLE: ITKNONPAYWO -- ITK NON PAYMENT WORKORDERS **FILE: ITK06**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
WORKORDERNUMBER	*	C(8)	
REASONCODE		C(4*)	

TABLE: ITKPAGECOUNTS -- **FILE: ITKPAGECOUNTS**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
URL	*	C(110)	
ENTRYCOUNT		N(10)	
EXITCOUNT		N(10)	
ORPHANCOUNT		N(10)	

TABLE: ITKUSERS -- ITK USERS **FILE: MARW02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
USERID	*	C(50)	
PASSWORD		C(15*)	
LOGINCODE		C(1*)	
CLIENTTYPE		C(1*)	
FIRSTNAME		C(20*)	
LASTNAME		C(20*)	
ADDRESS1		C(25*)	
ADDRESS2		C(25*)	
CITY		C(20*)	
STATE		C(2*)	
ZIP		C(9*)	
HOMEPHONE		C(10*)	
WORKPHONE		C(10*)	
EXTENSION		C(10*)	
EMAILADDRESS		C(20*)	
SETUPDAY		C(8*)	
EXPIRATIONDAY		C(8*)	
STARTINDEX		C(50*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: JEDETAIL -- Journal Entry Detail

FILE: CAN04D

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
POSTING_DATE	*	C(6)	
JOURNALNUMBER	*	C(6)	
SEQUENCENUMBER	*	C(3)	Sequence for detail records
DISTRIBUTIONCOMP		C(3)	Prior Version Compatability
GLACCOUNT		C(9)	
HOUSENUMBER		C(6)	
PVC1		C(3)	Prior Version Compatability
COSTCODE		C(5)	
VARIANCECODE		C(2)	
PVC2		C(6)	Prior Version Compatability
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	
UNITS		N(10*)	
JEDESCRIPTION		C(30)	

TABLE: JEHEADER -- Journal Entry Header

FILE: CAN04H

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
POSTING_DATE	*	C(6)	
JOURNALNUMBER	*	C(6)	
SEQUENCENUMBER	*	C(3)	Sequence '000' for header record
PVC1		C(2)	Prior Version Compatability
REVERSING_DATE		C(6)	
DESCRIPTION		C(90)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: JESTDDETAIL -- Journal Entry Header **FILE: MAR05D**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BLANK		C(6)	
JOURNALNUMBER	*	C(6)	
SEQUENCENUMBER	*	C(3)	Sequence for detail records
DISTRIBUTIONCOMP		C(3)	Prior Version Compatability
GLACCOUNT		C(9)	
HOUSENUMBER		C(6)	
PVC1		C(3)	Prior Version Compatibility
COSTCODE		C(5)	
VARIANCECODE		C(2)	
PVC2		C(6)	Prior Version Compatibility
OPTIONCODE		C(5)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	
UNITS		N(10*)	

TABLE: JESTDHEADER -- Journal Entry Header **FILE: MAR05H**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BLANK		C(6)	
JOURNALNUMBER	*	C(6)	
SEQUENCENUMBER	*	C(3)	Sequence '000' for header record
UPDATEFLAG		C(3)	Prior Version Compatability
PVC1		C(5)	
DESCRIPTION		C(90)	

TABLE: JLBANKMASTERFILE -- JC LOAN SYSTEM BANK MASTER FILE **FILE: SIG22**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
BANKCODE	*	C(2)	
DESCRIPTION		C(40)	

TABLE: JLDRAWSCHEDULE -- **FILE: FHB01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
LOANNUMBER	*	C(10)	
DRAWTYPE	*	C(1*)	
DRAWPERCENTAGE		N(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: JLDRAWTYPEMASTER -- DRAW TYPE FILE **FILE: RJC02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	Common Code 'CCC'
DRAWTYPE	*	C(1)	
DESCRIPTION		C(10)	

TABLE: JLHOUSES -- **FILE: FHB02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
LOANNUMBER	*	C(10)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
UNPACKEDHOUSENUM		C(10*)	
LOANAMOUNT		N(10*)	
DRAWREQUEST		N(10*)	

TABLE: JLLOANDETAIL **FILE: SIG21**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
LOANNUMBER	*	C(10)	
TRANSACTION_DATE	*	C(6)	
SEQUENCENUMBER	*	C(5)	
DRAWTYPE		C(1)	
BATCHNUM		C(10*)	
AMOUNT		N(12*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: JLLOANMASTER -- J/C LOAN MASTERFILE

FILE: SIG20

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
LOANNUMBER	*	C(10)	
BANKCODE		C(2)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
CASHBANKCODE		C(1*)	
LOAN_LIMIT		N(12*)	
TODATEDRAWNAMT		N(12*)	
INTERESTRATE1		N(4*)	
INTERESTRATE2		N(4*)	
INTERESTRATE3		N(4*)	
INTERESTRATE4		N(4*)	
INTERESTRATE5		N(4*)	
INTERESTRATE6		N(4*)	
INTERESTRATE7		N(4*)	
INTERESTRATE8		N(4*)	
INTERESTRATE9		N(4*)	
INTERESTRATE10		N(4*)	
INTERESTRATE11		N(4*)	
INTERESTRATE12		N(4*)	
INTERESTRATE13		N(4*)	
INTERESTRATE14		N(4*)	
INTERESTRATE15		N(4*)	
INTERESTRATE16		N(4*)	
INTERESTRATE17		N(4*)	
INTERESTRATE18		N(4*)	
INTERESTRATE19		N(4*)	
INTERESTRATE20		N(4*)	
INTERESTRATE21		N(4*)	
INTERESTRATE22		N(4*)	
INTERESTRATE23		N(4*)	
INTERESTRATE24		N(4*)	
INTERESTRATE25		N(4*)	
INTERESTRATE26		N(4*)	
INTERESTRATE27		N(10*)	
INTERESTRATE28		N(4*)	
INTERESTRATE29		N(4*)	
INTERESTRATE30		N(4*)	
INTERESTRATE31		N(4*)	
CURRENTMONTHINT		N(12*)	
DRAWNTHISMONTH		N(12*)	





MARK SYSTEMS

DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: LENDERMMASTER -- LENDER/MORTGAGE CO FILE MAINT **FILE: RJC10**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	Company 'CCC'
LENDERCODE	*	C(10)	
NAME		C(24)	
ADDRESS1		C(24)	
ADDRESS2		C(24)	
ADDRESS3		C(24)	
PHONENUMBER		C(10)	
LOANOFFICER		C(24)	
LOANPROCESSOR		C(24)	
PVC		C(2)	
TERMINATOR		C(1*)	

TABLE: LIENTRACKER -- Release of Lien Tracker (RJC15) **FILE: RJC15**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	COMPANYCODE
BANKCODE	*	C(1)	BANKCODE
TYPECODE	*	C(1)	TYPE CODE
CHECKNUMBER	*	C(6)	CHECKNUMBER
OUTSTANDINGFLAG		C(1)	
TRANSACTIONCODE		C(2)	
CHECK_DATE		C(6)	
DESCRIPTION		C(24)	
VENDORNUMBER		C(6)	
PVC		C(3)	NOT USED
TERMINATOR		C(1*)	
AMOUNT		N(12*)	

TABLE: LOTSEDETAIL -- Lot Settlement Detail **FILE: LHI12**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
SENUMBER	*	C(6)	
ENTITY	*	C(3)	
ITEMNUMBER	*	C(6)	
TYPECODE		C(1)	
JOBNUMBER		C(6)	
COMMENTS		C(30)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
UPHOUSENUMBER		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: LOTSEDIST -- Lot Settlement Distribution **FILE: LH13**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
SENUMBER	*	C(6)	
ENTITY	*	C(3)	
ITEMNUMBER	*	C(6)	
SEQUENCENUMBER	*	C(3)	
DISTRIBUTIONCOMP		C(3)	
GLACCOUNT		C(9)	
JOBNUMBER		C(6)	
COSTCODE		C(5)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
OPTIONCODE		C(5)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
VARIANCECODE		C(2)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: LOTSEHEADER -- Lot Settlement Header **FILE: LH11**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
SENUMBER	*	C(6)	
ARGLACCOUNT		C(9)	
DATE		C(6)	
UNPACKEDDATE		C(8)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: MAILQUEUE

FILE: MAILQUEUE

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
MSGID	*	N(10)	
STATUS		C(1)	
SUBMIT_DATE		C(6)	
SUBMIT_TIME		C(4)	
COMPANYCODE		C(3)	
DEVELOPMENTCODE		C(2)	
UNPACKEDHOUSENUM		C(8)	
VENDORNUMBER		C(6)	
NUMBER_ATTEMPTS		N(5)	
LASTATTEMPT_DATE		C(6)	
LASTATTEMPT_TIME		C(4)	
ORIGIN_MODULE		C(10)	
ORIGIN_REASON		C(10)	
FROMADDRESS		C(80)	
TOADDRESS		C(80)	
SUBJECT		C(100)	
LASTATTEMPT_RSLT		C(100)	
CONTENT_TYPE		C(100)	
CONTENT_TEXT		C(8000)	
CONTENT_HTML		C(8000)	

TABLE: MATERIALLISTDTL

FILE: CAN56

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
OPTIONCODE	*	C(5)	
ORIENTATION	*	C(1)	
PRODUCTCODE	*	C(25)	
DISTRIBUTIONCODE		C(5)	
OPTIONVENDOR		C(6)	
ADDREPLACE		C(1)	
TERMINATOR		C(1*)	
QUANTITY		N(10*)	
INHERITQUANTITY		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: MATERIALLISTHDR **FILE: VAN14**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
OPTIONCODE	*	C(5)	
ORIENTATION	*	C(1)	
STAGECODE		C(1)	
REVISIONDATE		C(6)	
DESCRIPTION		C(300)	
TERMINATOR		C(1*)	

TABLE: MLINHERITMASTER **FILE: MAR28**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
OPTIONCODE	*	C(5)	
ORIENTATION	*	C(1)	
INHERITMODELCODE		C(3)	
INHERITELEVCODE		C(3)	
INHERITOPTION		C(5)	
INHERITORIENT		C(1)	

TABLE: MMDOCPROFILE -- Mail Merge Doc Profile **FILE: MMDP**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
ID	*	N(10)	
NAME		C(64)	
PATH		C(255)	
DEFAULTQUERYID		N(10)	

TABLE: MMFILTERS -- Mail Merge Filters **FILE: MMFLTR**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
ID	*	N(10)	
COLUMNNAME		C(64)	
DESCRIPTION		C(255)	
DATATYPE		C(64)	
QUERYID		N(10)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: MMQUERYPROFILE -- Mail Merge Query Profile **FILE: MMQP**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
ID	*	N(10)	
NAME		C(64)	
PATH		C(255)	

TABLE: MODELMASTER -- MODEL MASTER **FILE: SIG03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
MODELCODE	*	C(3)	
DESCRIPTION		C(15)	
DEPOVERRIDEFLAG		C(1)	
INACTIVE		C(1)	
TERMINATOR		C(1*)	
SELLINGPRICE		N(10*)	
DEPOSITOVERRIDE		N(6*)	

TABLE: NOTEPAD2 -- CONSTRUCTION COMMENTS **FILE: RJC07**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
LINENUMBER	*	C(2)	
NOTE_DATE		C(6)	
TEXT1		C(50)	
TEXT2		C(8)	
TERMINATOR		C(1*)	

TABLE: OPTCTRLGROUP -- OPTION CONTROL GROUP **FILE: SIG98**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
OPTIONCATEGORY	*	C(3)	
OPTIONGROUP	*	C(20)	
OPTCTRLGROUPDESC		C(60)	
REQUIREDFLAG		C(1)	
EXCLUSIVEFLAG		C(1)	
DISPLAYONITKFLAG		C(1*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: OPTIONBUDGDETAIL **FILE: SIG35**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
OPTIONCODE	*	C(5)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
BUDGET_DATE		C(6)	
OPTIONCALCFLAG		C(1)	
RECORD_ORIGIN		C(55)	
TRANSNO		C(11)	
STATUS		C(1*)	
BUDGETAMOUNT		N(12*)	

TABLE: OPTIONBUDGMMASTER **FILE: CAN85**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
OPTIONCODE	*	C(5)	
COLORGROUPCODE		C(10)	
TERMINATOR		C(1*)	
SALESPRICE		N(12*)	
PKG_INCLUDE		C(1*)	
PKG_QTY		N(10*)	
PKG_ZEROPRICE		C(1*)	

TABLE: OPTIONCATCODES **FILE: MAH01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
OPTIONCATCODE	*	C(3)	
DESCRIPTION		C(60)	
SUPPRESS_JSTART		C(1)	
TERMINATOR		C(1*)	TERMIN ATOR
MARKUPPERCENT		N(10*)	

TABLE: OPTIONLOCATIONS -- Option Location Table **FILE: MAR17**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
LOCATIONCODE	*	C(10)	
DESCRIPTION		C(30)	
TERMINATOR		C(1*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: OPTIONLOTMASTER -- OPTIONLOTMASTER

FILE: MAR32

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
LOTNUMBER	*	C(8)	
TAXBLOCK		C(6)	
TAXLOT		C(6)	
ADDRESS1		C(24)	
ADDRESS2		C(24)	
ADDRESS3		C(24)	
LOTCONTRACTDATE		C(6)	
LOTCONVERDATE		C(6)	
LOTCOMMENTS		C(80)	
SELLERNAME		C(24)	
SELLERADDRESS1		C(24)	
SELLERADDRESS2		C(24)	
SELLERCITY		C(24)	
SELLERSTATE		C(2)	
SELLERZIP		C(9)	
SELLERPHONE		C(10)	
SELLEREMAIL		C(50)	
OPTIONEXPDATE		C(6)	
ORIENTATION		C(1*)	
LOTPREMIUM		N(10*)	

TABLE: OPTIONMASTER -- OPTION MASTERFILE

FILE: SIG14

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
OPTIONCODE	*	C(5)	
DESCRIPTION		C(400)	
NONREFUNDABLE		C(1)	
UPGRADE		C(1)	
CUTOFFSTAGE		C(1)	
BITMAP		C(50)	
MANUFACTURER		C(100)	
MANUFACTURERSWEB		C(100)	
MODELINFO		C(100)	
COLORGROUP		C(20)	
OPTIONCATEGORY		C(3)	
OPTIONGROUP		C(20)	
LASTUPDATEDATE		C(6)	
SKIPAUTOUPDT		C(1)	
LOCATIONCODE		C(10)	
DEPOSITFLAG		C(10)	
INACTIVE		C(1)	
DOCLIB_FLAG		C(1)	
TERMINATOR		C(1*)	
SALESPRICE		N(12*)	
LASTSALESPRICE		N(10*)	
DEPOSITAMOUNT		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: OPTLOTRESTRICT -- OPTLOTRESTRICT **FILE: MAR33**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
LOTNUMBER	*	C(8)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3*)	

TABLE: POAPPROVEDQUEUE **FILE: POS01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
PONUMBER	*	C(6)	
DEVELOPMENTCODE		C(2)	
STATUSCODE		C(1)	
APPROVEDDATE		C(6)	
USERID		C(40)	

TABLE: POBACKCHARGE -- **FILE: MAR19**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
PONUMBER	*	C(6)	
BCNUMBER	*	C(6)	

TABLE: PODETAIL **FILE: CAP02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
PONUMBER	*	C(6)	
POLINE	*	C(3)	
PRODUCTCODE		C(25)	
DESCRIPTION		C(60)	
TAXABLEFLAG		C(1)	
VENDORPARTNUMBER		C(25)	
TERMINATOR		C(1*)	
QUANTITY		N(10*)	
AMOUNT		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: PODIST -- PURCHASE ORDER DISTRIBUTION

FILE: DRA11

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
PONUMBER	*	C(6)	
SEQUENCENUMBER	*	C(3)	
DISTCOMP		C(3)	
GLACCOUNT		C(9)	
DISTDEV		C(2)	
DISTHOUSE		C(4)	
COSTCODE		C(5)	
OPTIONCODE		C(5)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
VARIANCECODE		C(2)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: POHEADER

FILE: CAP01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
PONUMBER	*	C(6)	
VENDORNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
ISSUEDATE		C(6)	
REQUESTEDDATE		C(6)	
UNPACKEDHOUSENUM		C(10)	
DELIVERYADDRESS1		C(24)	
DELIVERYADDRESS2		C(24)	
DELIVERYADDRESS3		C(24)	
STAGECODE		C(1)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
DESCRIPTION		C(300)	
USERID		C(25)	
SHIPVIA		C(24)	
COSTCODE		C(5)	
TYPECODE		C(1)	
CREATEDDATE		C(6)	
CREATEDTIME		C(5)	
REQUESTEDBY		C(50)	
FIELD1		C(10)	
FIELD2		C(10)	
FIELD3		C(10)	
FIELD4		C(10)	
TERMINATOR		C(1*)	
SALESTAXPCT		N(10*)	
SALESTAXAMOUNT		N(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: POHISTORYDETAIL

FILE: POH02

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
PONUMBER	*	C(6)	
POLINE	*	C(3)	
PRODUCTCODE		C(25)	
DESCRIPTION		C(60)	
TAXABLEFLAG		C(1)	
VENDORPARTNUMBER		C(25)	
TERMINATOR		C(1*)	
QUANTITY		N(10*)	
AMOUNT		N(10*)	

TABLE: POHISTORYDIST

FILE: POH03

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
PONUMBER	*	C(6)	
SEQUENCENUMBER	*	C(3)	
DISTCOMP		C(3)	
GLACCOUNT		C(9)	
DISTDEV		C(2)	
DISTHOUSE		C(4)	
COSTCODE		C(5)	
OPTIONCODE		C(5)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
VARIANCECODE		C(2)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: POHISTORYHEADER **FILE: POH01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
PONUMBER	*	C(6)	
VENDORNUMBER		C(6)	
DEVELOPMENTCODE		C(2)	
ISSUEDATE		C(6)	
REQUESTEDDATE		C(6)	
REQUESTEDBY		C(50)	
UNPACKEDHOUSENUM		C(10)	
DELIVERYADDRESS1		C(24)	
DELIVERYADDRESS2		C(24)	
DELIVERYADDRESS3		C(24)	
STAGECODE		C(1)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
DESCRIPTION		C(300)	
USERID		C(25)	
SHIPVIA		C(24)	
COSTCODE		C(5)	
TYPECODE		C(1)	
CREATEDDATE		C(6)	
CREATEDTIME		C(5)	
INVOICENUM		C(10)	
INVOICEDATE		C(6)	
FIELD3		C(14)	
FIELD4		C(10)	
TERMINATOR		C(1*)	
SALESTAXPCT		N(10*)	
SALESTAXAMOUNT		N(10*)	

TABLE: POPRINTQUEUE -- PURCHASE ORDER PRINT QUEUE **FILE: CAP06**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
PONUMBER	*	C(6)	
TERMINATOR		C(1*)	

TABLE: POSTLOG -- **FILE: MARK2**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
USERNAME	*	C(25*)	
TID	*	C(4*)	
STARTDATE	*	C(6*)	
STARTTIME	*	C(5*)	
MODULE	*	C(9*)	
ENDDAY		C(10*)	
ENDTIME		C(5*)	
LASTKEY		C(30*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: PRODTYPEMASTER **FILE: CAN51**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
PRODTYPECODE	*	C(2)	
DESCRIPTION		C(30)	
TERMINATOR		C(1*)	

TABLE: PRODUCTMASTER -- **FILE: CAN52**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
PRODUCTCODE	*	C(25)	
PRODUCTTYPECODE		C(2)	
DESCRIPTION		C(60)	
TAXABLEFLAG		C(1)	
TERMINATOR		C(1*)	
CONVERSIONFACTOR		N(10*)	

TABLE: PRODUCTPRICE **FILE: CAN54**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
PRODUCTCODE	*	C(25)	
VENDORNUMBER	*	C(6)	
EFFECTIVEDATE	*	C(6)	
VENDORPARTNUMBER		C(25)	
EXPIRATIONDATE		C(6)	
TERMINATOR		C(1*)	
UNITPRICE		N(10*)	

TABLE: PROSPECTCOLORS **FILE: MSS21**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	
ITEMNUMBER	*	C(3)	
COLORSELECTED		C(100)	
TERMINATOR		C(1*)	

TABLE: PROSPECTCONTACT **FILE: MSS03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	Case Number
CONTACTNUMBER	*	C(4)	Contact Number
ENTRYDATE		C(6)	Entry Date
SCHEDULEDDATE		C(6)	Scheduled Date
COMPLETIONDATE		C(6)	Completion Date
INITIALS		C(3)	Initials
ACTIVITYCODE		C(10)	Activity
GROUPCODE		C(10)	
CONTACTDETAIL		C(1200)	Contact Description
TERMINATOR		C(1*)	Contact terminator





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: PROSPECTCONTING --

FILE: MSS09

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	Case Number
CONTINGENCYNUM	*	C(3)	Contingency Number
DUEDATE		C(6)	Contingency Due / Expiration Date
SATISFIEDDATE		C(6)	Contingency Satisfied Date
DESCRIPTION		C(400*)	Contingency Description
AMOUNT		N(10*)	Add'l Deposit or Clearing Amount

TABLE: PROSPECTDEPOSIT

FILE: MSS06

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	Case Number
CHANGEORDER	*	C(3)	Change Order Number
SEQUENCENUMBER	*	C(3)	
SCHEDULEDDATE		C(6)	Deposit Scheduled Date
RECEIVEDDATE		C(6)	Due Date
COMMENTS		C(200)	Comments
ACTIVITY		C(3*)	Activity Code - FOR FUTURE USE
DEPOSITAMOUNT		N(12*)	Deposit Amount
CASHRECAMOUNT		N(12*)	CASH

TABLE: PROSPECTFINANCE -- Prospect financing detail

FILE: MSS08

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	Prospect Case Number
LENDERCODE		C(10)	
LOANOFFICER		C(30)	
PROCESSOR		C(30)	
LOANTYPE		C(10)	
LENDERRATING		C(10)	
OTHERRATING		C(10)	
MORTAPPLYDATE		C(6)	
MORTSUBMITDATE		C(6)	
MORTAPPROVEDATE		C(6)	
CONTRACTEXPDATE		C(6)	
OPTIONSCOMPDATE		C(6)	
COLORCOMPDATE		C(6)	
CONSTCLOSEDATE		C(6)	
MORTCLOSEDATE		C(6)	
LOTTOPERMITDATE		C(6)	
DOCSENTDATE		C(6)	
MORTCONTRACTDATE		C(6)	
PROJECTCLOSEDATE		C(6)	
TERMINATOR		C(1*)	
CONTRACTAMOUNT		C(10*)	
QUOTEDRATE		C(10*)	
QUOTEDPAYMENT		C(10*)	
POINTS		C(10*)	
CLOSINGCOSTS		C(10*)	
BUILDERBUYDOWN		C(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: PROSPECTLASTCASE -- PROSPECTLASTCASE **FILE: MSS13**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
USERID	*	C(25*)	
LASTCASENUMBER		C(9*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: PROSPECTMASTER -- PROSPECT MASTER FILE

FILE: MSS01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	
COMPANYCODE		C(3)	
DEVELOPMENTCODE		C(2)	
LASTNAME		C(30)	
FIRSTNAME		C(20)	
MIDDLEINITIAL		C(1)	
SALUTATION		C(15)	
STREETADDRESS1		C(30)	
STREETADDRESS2		C(30)	
CITY		C(30)	
STATE		C(2)	
ZIP		C(9)	
HOMEPHONE1		C(10)	
WORKPHONE1		C(10)	
HOMEPHONE2		C(10)	
WORKPHONE2		C(10)	
OTHERPHONE1		C(10)	
OTHERPHONE2		C(10)	
STATUSCODE		C(10)	
TRAFFICDATE1		C(6)	
TRAFFICDATE2		C(6)	
TRAFFICDATE3		C(6)	
TRAFFICDATE4		C(6)	
SETTLEMENTDATE		C(6)	
CONTRACTDATE		C(6)	
RATIFIEDDATE		C(6)	
MODELCODE		C(3)	
ELEVATIONCODE		C(3)	
SALESPERSONCODE		C(3)	
HOUSENUMBER		C(8)	
SELECTSCHDDATE		C(6)	
SELECTCMPLDATE		C(6)	
SELECTCUTOFFDATE		C(6)	
STARTDATE		C(6)	
ESTCOMPDATE		C(6)	
OTHERAMT1DESC		C(30)	
OTHERAMT2DESC		C(30)	
OTHERAMT3DESC		C(30)	
AGENTCODE		C(10)	
BROKERCODE		C(10)	
CUSTSIGNEDDATE		C(6)	
SALESPERSONCODE2		C(3)	
SALESPERSONCODE3		C(3)	
CROSSREFERENCE		C(12)	
SPEHOUSEFLAG		C(1)	
SOURCE		C(10)	
TIMECREATED		C(6*)	
DATECREATED		C(6*)	
USERID		C(25*)	
UNUSED		C(365*)	
BASEPRICE		N(12*)	
LOTPREMIUM		N(12*)	
OPTIONSPRICE		N(12*)	





MARK SYSTEMS

DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: PROSPECTMASTER -- PROSPECT MASTER FILE

FILE: MSS01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
UPGRADESPRICE		N(12*)	
BASEDEPOSIT		N(12*)	
OPTIONDEPOSIT		N(12*)	
OTHERAMT1		N(12*)	
OTHERAMT2		N(12*)	
OTHERAMT3		N(12*)	
AGENTAMOUNT		N(12*)	
BROKERAMOUNT		N(12*)	

TABLE: PROSPECTNAMES

FILE: MSS02

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	CASE_NUM
SEQUENCENUMBER	*	C(4)	PROSPECT CODE (SEQUENCE)
COMPANYCODE		C(3)	CO_CODE
DEVELOPMENTCODE		C(2)	DEVELOPMENT_CD
LASTNAME		C(30)	LAST_NAME
FIRSTNAME		C(20)	FIRST_NAME
MIDDLEINITIAL		C(1)	MIDDLE_INIT
STREETADDRESS1		C(30)	FIRST LINE OF STREET ADDRESS
STREETADDRESS2		C(30)	SECOND LINE OF STREET ADDRESS
CITY		C(30)	
STATE		C(2)	
ZIP		C(9)	Zip
SOCIALSECURITY		C(9)	SOC_SEC_NO
HOMEPHONE1		C(10)	MAIN_PHONE
FAXNUMBER		C(10)	FAX NUMBER
WORKPHONE1		C(10)	WORK PHONE
EMAIL		C(80)	EMAIL ADDRESS
DATEOFBIRTH		C(6)	DATE_OF_BIRTH
FUTUREUSE		C(120*)	EXTRA_STRING

TABLE: PROSPECTOPTIONS -- Prospect Option Selections

FILE: MSS05

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	Case Number
CHANGEORDER	*	C(3)	Change Order Number
OPTIONCATEGORY		C(3)	
OPTIONCODE	*	C(5)	Option Code
DESCRIPTION		C(200)	Description
LOCATION		C(800)	Location / comments
COLOR		C(100)	Color
MODEL		C(200*)	Model
QUANTITY		N(3*)	Quantity
SALESPRICE		N(10*)	Selling Price
EXTENDEDPRICE		N(10*)	extended Price



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: PROSPECTOPTNDTL **FILE: MSS61**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	
CONUMBER	*	C(3)	
ADDDELETEFLAG	*	C(1)	
OPTIONCODE	*	C(5)	
LOCATION		C(240)	
QUANTITY		N(10)	
DESCRIPTION		C(1200)	
TERMINATOR		C(1*)	
SALESPRICE		N(10*)	
PKG_INCLUDE		C(1*)	

TABLE: PROSPECTOPTNHDR **FILE: MSS60**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	
CONUMBER	*	C(3)	
CO_DATE		C(6)	
MORTGAGEFLAG		C(1)	
SALESPERSON		C(3)	
ACCEPTEDDATE		C(6)	
DEPOSITRECEIVED		N(10)	
PVC		C(1)	
COACCEPTEDFLAG		C(1)	
TERMINATOR		C(1*)	
DEPOSITAMOUNT		N(10*)	
TOTALPRICE		N(10*)	

TABLE: PROSPECTOPTSEL -- OPTIONS MASTERFILE **FILE: SIG14T**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
SELECTED		C(1)	Selected? Y or N
OPTIONCODE	*	C(5)	
DESCRIPTION		C(200)	Option Description
CUTOFFSTAGE		C(1)	Cutoff Stage
OPTIONCATEGORY		C(3)	
LOCATIONCODE		C(10)	
NONREFUNDYN		C(1)	
UPGRADEYN		C(1*)	
SALESPRICE		N(12*)	





MARK SYSTEMS

DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: PROSPECTTMPCNT -- Prospect Contacts - Temporary Display **FILE: MSS03TMP**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	Case Number
CONTACTNUMBER	*	C(4)	Contact Number
ENTRYDATE		C(6)	Entry Date
SCHEDULEDDATE		C(10)	Scheduled Date
COMPLETIONDATE		C(10)	Completion Date
INITIALS		C(3)	Initials
CONTACTDETAIL		C(319)	Contact Description
TERMINATOR		C(1*)	terminator

TABLE: PROSPECTTMPDPST **FILE: MSS06T**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	Case Number
CHANGEORDER	*	C(3)	Change Order Number
SEQUENCENUMBER	*	C(3)	
SCHEDULEDDATE		C(10)	Deposit Scheduled Date
RECEIVEDDATE		C(8)	Due Date
COMMENTS		C(200)	Comments
ACTIVITY		C(3*)	Activity Code - FOR FUTURE USE
DEPOSITAMOUNT		N(12*)	Deposit Amount
CASHRECAMOUNT		N(12*)	Cash

TABLE: PROSPECTUPGDTL **FILE: MSS83**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	
CONUMBER	*	C(3)	
OPTIONCODE	*	C(5)	
SELECTIONSEQ	*	C(2)	
UPGRADELEVEL		C(3)	
SELECTIONITEM		C(6)	
DESCRIPTION		C(100)	
TERMINATOR		C(1*)	
UNITS		N(10*)	
COST		N(10*)	
PRICE		N(10*)	
EXTENDEDPRICE		N(10*)	

TABLE: QUICKMENU -- QUICK MENU **FILE: QMENU**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
USERID	*	C(25)	
TERMINALID	*	C(3)	
BUTTONID	*	C(3)	
PROGNAME		C(40*)	
PROGDESC		C(100*)	
PRIORITY		N(2*)	
MODULE		C(40*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: REPORTSELECTION -- Template for report selection called program. FILE: RPTSEL

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SELECTPROJECT		C(1*)	Select Development?
SELECTHOUSES		C(1*)	Select Houses?
SELECTCOSTCODES		C(1*)	Select Cost Codes?
SELECTOPTIONS		C(1*)	Select Options?
SELECTDATES		C(1*)	
OVERRUNSONLY		C(1*)	Print Overruns only?
EXCLUDESETTLEDHS		C(1*)	Exclude Settled Houses?
STARTPROJECT		C(2*)	Starting development code
ENDPROJECT		C(2*)	Ending Project Code
STARHOUSE		C(4*)	Starting House
ENDHOUSE		C(4*)	
STARTCOSTCODE		C(5*)	
ENDCOSTCODE		C(5*)	
STARTOPTION		C(5*)	
ENDOPTION		C(5*)	
STARTDATE		C(6*)	
ENDDATE		C(6*)	
ABORTFLAG		C(1*)	

TABLE: SALESPERSONMAST FILE: CAP18

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
SALESPERSONCODE	*	C(3)	
FIRSTNAME		C(30)	
MIDDLEINITIAL		C(1)	
LASTNAME		C(50)	
CELLPHONE		C(10)	
HOMEPHONE		C(10)	
SALESMANAGER		C(1)	
EMAILADDRESS		C(80)	
USERID		C(25)	
TERMINATOR		C(1*)	

TABLE: SALESSUBSIDIARY FILE: WHI01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
GLACCOUNT	*	C(9)	
TRANSACTIONDATE	*	C(6)	
SEQUENCENUMBER	*	C(2)	
TRANSACTIONCODE		C(2)	
TRANSREMARKS		C(24)	
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: SCHEDACTCOSTCDS -- **FILE: DEL02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
ACTIVITYCODE	*	C(3)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	

TABLE: SCHEDACTIVITIES **FILE: KEN01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
ACTIVITYCODE	*	C(3)	
DESCRIPTION		C(24)	
SUSPENDABLE		C(1)	
MILESTONE		C(1)	
DRAWTYPE		C(1)	
FIELD1		C(10)	
FIELD2		C(10)	
TERMINATOR		C(1*)	
DAYS		N(10*)	
AMOUNT1		N(10*)	
AMOUNT2		N(10*)	

TABLE: SCHEDEXCEPTIONS -- SCHEDULING EXCEPTIONS **FILE: KEN15**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
REASONCODE	*	C(3)	
DESCRIPTION		C(40)	

TABLE: SCHEDHOLIDAYS **FILE: KEN06**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
HOLIDAYDATE	*	C(6)	
UNPACKEDDTE		C(8)	
DESCRIPTION		C(20)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: SCHEDHOUSEDETAIL -- CONSTRUCTION SCHEDULE HOUSE DETAIL **FILE: KEN05**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
STEPNUMBER	*	C(5)	
ACTIVITYCODE		C(3)	
EARLYSTARTDATE		C(6)	
EARLYFINISHDATE		C(6)	
LATESTARTDATE		C(6)	
LATEFINISHDATE		C(6)	
RVEARLYSTARTDATE		C(6)	
RVEARLYFINSHDATE		C(6)	
RVLATESTARTDATE		C(6)	
RVLATEFINISHDATE		C(6)	
VENDORNUMBER		C(6)	
RELEASENUMBER		C(4)	
RELEASESEQUENCE		C(2)	
ACTUALSTARTDATE		C(6)	
ACTUALFINISHDATE		C(6)	
CRITICALPATH		C(1)	
SUSPEND		C(1)	
OPTIONRELATED		C(1)	
OPTIONINSERTED		C(1)	
INACTIVE		C(1)	
FIELD1		C(7)	
FIELD2		C(10)	
FIELD3		C(10)	
TERMINATOR		C(1*)	
DAYS		N(10*)	
SLACKDAYS		N(10*)	
SLIPDAYS		N(10*)	
AMOUNT2		N(10*)	
AMOUNT3		N(10*)	

TABLE: SCHEDHOUSEEXCEPT -- HOUSE SCHEDULING EXCEPTIONS **FILE: KEN16**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
STEPNUMBER	*	C(5)	
SEQUENCENUMBER	*	C(2)	
SCH_DATE		C(6)	
REASONCODE		C(3)	
VENDORNUMBER		C(6)	
COMMENTS		C(50)	
TERMINATOR		C(1*)	
DAYS		N(5*)	





MARK SYSTEMS

DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: SCHEDHOUSEHEADER -- Scheduling House Header

FILE: KEN04

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
DESCRIPTION		C(60)	
UNPACKEDHOUSENUM		C(8)	
HOLDFLAG		C(1)	
HOLDCOMMENTS		C(60)	
ARCHIVEFLAG		C(1)	
LOADDATE		C(6)	
LOADTIME		C(4)	
LOADEDBY		C(40)	
LASTUPDATEDATE		C(6)	
LASTUPDATETIME		C(4)	
FIELD3		C(20)	
TERMINATOR		C(1*)	
AMOUNT1		N(10*)	
AMOUNT2		N(10*)	
AMOUNT3		N(10*)	

TABLE: SCHEDHOUSEOPTTRK -- HOUSE SCHEDULING OPTION TRACKING

FILE: KEN17

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
OPTIONCODE	*	C(5)	
SEQUENCENUMBER	*	C(5)	
ADDEDDATE		C(6)	
ORIGSTARTDATE		C(6)	
ORIGFINISHDATE		C(6)	
NEWSTARTDATE		C(6)	
NEWFINISHDATE		C(6)	
TERMINATOR		C(1*)	
FIELD1		C(20*)	
FIELD2		C(20*)	
FIELD3		C(20*)	
FIELD4		C(20*)	
AMOUNT1		N(10*)	
AMOUNT2		N(10*)	
AMOUNT3		N(10*)	
AMOUNT4		N(10*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: SCHEDHOUSEPREDSR -- **FILE: KEN10**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
STEPNUMBER	*	C(5)	
PREDECESSORSTEP	*	C(5)	
FIELD1		C(10)	
FIELD2		C(10)	
FIELD3		C(10)	
FIELD4		C(10)	
TERMINATOR		C(1*)	
LAGLEADDAYS		N(10*)	
AMOUNT2		N(10*)	
AMOUNT3		N(10*)	
AMOUNT4		N(10*)	

TABLE: SCHEDMODELDETAIL **FILE: KEN02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
STEPNUMBER	*	C(5)	
ACTIVITYCODE		C(3)	
VENDORNUMBER		C(6)	
FIELD1		C(10)	
FIELD2		C(10)	
FIELD3		C(10)	
FIELD4		C(10)	
TERMINATOR		C(1*)	
DAYS		N(10*)	
AMOUNT1		N(10*)	
AMOUNT2		N(10*)	
AMOUNT3		N(10*)	

TABLE: SCHEDMODELHEADER -- Scheduling Model Header **FILE: KEN03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
DESCRIPTION		C(60)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: SCHEDMODELPREDSR --

FILE: KEN08

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
STEPNUMBER	*	C(5)	
PREDECESSORSTEP	*	C(5)	
FIELD1		C(10)	
FIELD2		C(10)	
FIELD3		C(10)	
FIELD4		C(10)	
TERMINATOR		C(1*)	
LAGLEADDAYS		N(10*)	
AMOUNT2		N(10*)	

TABLE: SCHEDOPTDEPEND

FILE: KEN13

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
OPTIONCODE	*	C(5)	
STEPNUMBER	*	C(5)	
DEPENDENCYTYPE	*	C(1)	P=PREDECESSOR S=SUCCESSOR
ACTIVITYCODE	*	C(3)	
LAGLEADDAYS		N(5*)	

TABLE: SCHEDOPTDETAIL

FILE: KEN12

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
OPTIONCODE	*	C(5)	
STEPNUMBER	*	C(5)	
ACTIVITYCODE		C(3)	
VENDORNUMBER		C(6)	
TERMINATOR		C(1*)	
DAYS		N(5*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: SCHEDOPTHEADER -- Scheduling Option Header **FILE: KEN11**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
OPTIONCODE	*	C(5)	
COMMENT		C(300)	
TERMINATOR		C(1*)	

TABLE: SCHEDULEACOMMENT -- **FILE: SMC15**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
DEVELOPMENTCODE	*	C(2)	
CATEGORYCODE	*	C(3)	
COMMENTS		C(2000)	
TERMINATOR		C(1*)	

TABLE: SEDETAIL -- Settlement Detail **FILE: LHI02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
SENUMBER	*	C(6)	
ENTITY	*	C(3)	
ITEMNUMBER	*	C(6)	
TYPECODE		C(1)	
JOBNUMBER		C(6)	
COMMENTS		C(30)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
UPHOUSENUMBER		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: SEDIST -- Settlement Distribution

FILE: LHI03

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
SENUMBER	*	C(6)	
ENTITY	*	C(3)	
ITEMNUMBER	*	C(6)	
SEQUENCENUMBER	*	C(3)	
DISTRIBUTIONCOMP		C(3)	
GLACCOUNT		C(9)	
JOBNUMBER		C(6)	
COSTCODE		C(5)	
LOANNUMBER		C(10)	
LOANDRAW		C(1)	
OPTIONCODE		C(5)	
UPHOUSENUMBER		C(10)	
GLDESCRIPTION		C(30)	
VARIANCECODE		C(2)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: SEHEADER -- Settlement Header

FILE: LHI01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
SENUMBER	*	C(6)	
ARGLACCOUNT		C(9)	
DATE		C(6)	
UNPACKEDDATE		C(8)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: SESSIONDATA -- Session data stored in segment

FILE: SES03

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SESSIONID	*	C(32)	
DATAKEY	*	C(20)	
SEGMENTIDX	*	C(2)	
SEGMENTLENGTH		N(4)	
SEGMENTDATA		C(1000)	

TABLE: SESSIONHISTORY -- SESSIONHISTORY

FILE: SES01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SEQNO	*	C(10)	
USERID		C(25)	
TERMINALID		C(5)	
LOGINDATE		C(6)	
LOGINTIME		C(5)	
CLIENT_HOSTNAME		C(25)	
CLIENT_IP		C(8*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: SETTINGS -- IHMS Application Settings **FILE: SETTINGS**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SETTING	*	C(35)	
CONTEXT	*	C(33)	
CONTEXTKEY	*	C(50)	
SEQ	*	C(2)	
SETTINGVALUE		C(1000)	

TABLE: SETTLEDHOUSERPT -- SETTLED HOUSE REPORT MAINTENANCE MASTER FILE **FILE: SIG23**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2*)	
MARKETING		N(10*)	
WARRANTY		N(10*)	
PRODUCTION		N(10*)	
GAPCT		N(10*)	

TABLE: SETTLEMENTCOGS **FILE: MAR03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TYPECODE	*	C(10)	
LINENUM	*	C(3)	
GLACCOUNT		C(3)	
DIV		C(3)	
BREAK		C(3)	
HOUSE		C(10)	
COSTCODE		C(5)	
TERMINATOR		C(1*)	

TABLE: STAGEMASTER -- STAGE FILE MAINTENANCE **FILE: CAN41**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
STAGECODE	*	C(1)	
DESCRIPTION		C(20)	
TERMINATOR		C(1*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: SUBSIDIARYLEDGER **FILE: AND91**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLACCOUNT	*	C(9)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
TRANSACTIONDATE	*	C(6)	
SEQUENCENUMBER	*	C(5)	
TRANSACTIONCODE		C(2)	
TRANSREMARKS		C(29)	
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(12*)	

TABLE: SUBSIDIARYMASTER -- Subsidiary Master **FILE: AND90**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
GLPREFIX	*	C(3)	G/L Prefix

TABLE: TEN99 -- TEN99EXCELIMPORT **FILE: TEN99**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
VENDORNAME		C(24)	
ADDRESS1		C(24)	
ADDRESS2		C(24)	
CITY		C(13)	
STATE		C(2)	
ZIPCODE		C(9)	
VENDFEDID		C(12)	
YEAR		C(4)	
OURFEDID		C(20*)	
RENTS		N(12*)	
ROYALTIES		N(12*)	
OTHERINCOME		N(12*)	
NONEMPCOMP		N(12*)	
ADJNONEMPCOMP		N(12*)	
GOVTTOTAL		N(12*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: TEN99E **FILE: TEN99E**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
YEAR		C(4)	
TIN		C(9)	
TCC		C(5)	
TESTINDICATOR		C(1)	
TRANSNAME1		C(40)	
TRANSNAME2		C(40)	
COMAILINGADDRESS		C(40)	
COCITY		C(40)	
COSTATE		C(2)	
COZIP		C(9)	
CONTACTNAME		C(40)	
CONTACTPHONE		C(15)	
CONTACTEMAIL		C(50)	
PAYERNAMECONTROL		C(4)	
SORTKEY		C(1)	

TABLE: TERMSCODEMASTER **FILE: OPF02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
TERMSCODE	*	C(2)	
DESCRIPTION		C(28)	
TERMINATOR		C(1*)	
DISCOUNTDAYS		N(6*)	
DISCOUNTPERCENT		N(6*)	
DUEDAYS		N(6*)	
RETENTIONPERCENT		N(6*)	

TABLE: TRAFFICDATES -- Traffic Date Descriptions **FILE: MSS07**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
DATEDESCRIPTION1		C(20)	
DATEDESCRIPTION2		C(20)	
DATEDESCRIPTION3		C(20)	
DATEDESCRIPTION4		C(20*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: TRAFFICDETAIL **FILE: CGI06**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	Company Number
DEVELOPMENTCODE	*	C(2)	Development
CASENUMBER	*	C(9)	Zip/Sequence or Case Number
QUESTIONNUMBER	*	C(2)	Question Number
ANSWERCODE		C(2)	Answer
FOLLOWUPCODE		C(2)	Follow Up Code - NOT USED
FUSCHEDULEDATE		C(6)	Follow Up Scheduled Date - NOT USED
FUACTUALDATE		C(6*)	Follow Up Actual Date

TABLE: TRAFFICQUESMAST **FILE: CGI03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
QUESTIONNUMBER	*	C(2)	
DESCRIPTION		C(70)	
WEBDISPLAY		C(1)	
WEBDISPLAYFORMAT		C(1)	
TERMINATOR		C(1*)	

TABLE: TRAFFICRESPONSES -- Traffic Question Response Master **FILE: CGI04**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	Company Number
DEVELOPMENTCODE	*	C(2)	Development Code
QUESTIONNUMBER	*	C(2)	Question Number
RESPONSECODE	*	C(2)	Response Code
DESCRIPTION		C(70)	Question Description
TERMINATOR		C(1*)	

TABLE: UDCFGDETAIL **FILE: UDC01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TABLERNAME	*	C(16)	The base table that the uhtable has a one-to-one
INDEXNAME	*	C(16)	The index we are keying to in the base table.
CONTEXT	*	C(16)	Context or ModuleName from which we are linking to
FIELDNAME	*	C(16)	Name of user field
FIELDTYPE		C(10)	User Field Type (i.e. CURRENCY, DATE, CHAR,
DESCRIPTION		C(40)	Users description of the field
SEQ		C(3)	For ordering fields within the user table
TERMINATOR		C(1*)	
LENGTH		U(2)	Length of the field





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: UDCFGMASTER -- USER DEFINED FIELDS MASTER FILE FOR TABLE INDEXES **FILE: UDC00**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TABLENAME	*	C(16)	
INDEXNAME	*	C(16)	
CONTEXT	*	C(16)	
UDTABLENAME		C(16)	
UDDATAFILE		C(30)	
DESCRIPTION		C(40)	

TABLE: UDHOUSEMASTER -- Custom fields for House Masterfile **FILE: UDHOUSEMASTER**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
UDCHARACTERFIELD		C(255)	
UDMEMOFIELD		C(1000*)	
UDCURRENCYFIELD		N(10*)	
UDDATEFIELD		C(6)	

TABLE: UDHOUSESALESADM -- Admin sales info by house **FILE: UDHOUSESALESADM**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
SITERELEASEDATE		C(6)	

TABLE: UDPROSPECTMST -- Sales info by prospect case number **FILE: UDPROSPECTMST**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
CASENUMBER	*	C(9)	Prospect Case Number
WORK_EXT_HUSB		C(10)	
WORK_EXT_WIFE		C(10)	
FINANCE_CONTING		C(10)	
OPTION_CUT_DATE		C(6)	
ADDITIONALPHONE		C(10)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: UDWARHOUSE -- Warranty info by house

FILE: UDWARHOUSE

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
OWNERNAME		C(10)	
OWNERADDRESS1		C(256*)	
OWNERADDRESS2		C(256*)	
OWNERADDRESS3		C(256*)	
HOMEPHONE		C(256*)	
CELLPHONE		C(256*)	
INIT_VISIT_DATE		C(6)	
ONE_YEAR_DATE		C(6)	

TABLE: UPDATES --

FILE: MARK1

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
FILE_NAME	*	C(10*)	
PROGRAM_NAME	*	C(25*)	
DATE_OF_RUN	*	C(10*)	
MILITARY_TIME	*	C(5*)	

TABLE: UPGRADECHOICES -- JC UPGRADE CHOICE MASTER FILE

FILE: CAN81

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
OPTIONCODE	*	C(5)	
UPGRADELEVEL	*	C(3)	
DESCRIPTION		C(40)	
COLORGROUPCODE		C(10)	
INACTIVE		C(1)	
TERMINATOR		C(1*)	
BITMAP		C(40*)	
COST		N(10*)	
SELLINGPRICE		N(10*)	



MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: UPGRADEMASTER **FILE: CAN80**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
OPTIONCODE	*	C(5)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
UNITOFMEASURE		C(10)	
DESCRIPTION		C(500)	
TERMINATOR		C(1*)	

TABLE: UPGRADESELECTION -- ELEVATION OPTION UPGRADE DETAIL FILE **FILE: CAN82**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
MODELCODE	*	C(3)	
ELEVATIONCODE	*	C(3)	
OPTIONCODE	*	C(5)	
SELECTIONSEQ	*	C(2)	
SELECTIONITEM		C(6)	
REQUIREDFLAG		C(1)	
TERMINATORA		C(1*)	
TERMINATOR		C(10*)	
UNITS		N(10*)	

TABLE: UPGSELECTIONITEM -- UPGRADE Selection Description **FILE: RJC01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SELECTIONITEM	*	C(6)	
DESCRIPTION		C(20)	

TABLE: USERLIST -- IHMS User List **FILE: USERLIST**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
USERNAME	*	C(25)	
FULLNAME		C(40*)	
TERMINALID		C(3)	
COMPFLAG		N(1*)	
IAMODULES		C(2000*)	
IAPROGRAMS		C(2000*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: VARIANCEMASTER

FILE: EYA21

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	'CCC'
VARIANCECODE	*	C(2)	
DESCRIPTION		C(30)	
TYPECODE		C(10)	
TERMINATOR		C(1*)	



MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: VENDORCOMPDETAIL **FILE: VMF10**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
VENDORNUMBER	*	C(6)	
COMPANYCODE	*	C(3)	
ADDRESS1		C(30)	
ADDRESS2		C(30)	
CITY		C(30)	
STATE		C(2)	
ZIPCODE		C(9)	
WOADDRESS		C(1)	
POADDRESS		C(1)	
PHONENUMBER		C(10)	
FAXNUMBER		C(10)	
CELLNUMBER		C(10)	
PAGENUMBER		C(10)	
PAYCYCLE		C(2)	
TERMSCODE		C(2)	
CONTACTNAME		C(30)	
INSEXP_DATE		C(6)	
WRKCMPEXP_DATE		C(6)	
AUTOLIABEXP_DATE		C(6)	
EXCESSEXP_DATE		C(6)	
OTHEREXP_DATE		C(6)	
EMAILADDRESS		C(80)	
MEMO1		C(60)	
MEMO2		C(60)	
MISC1_DATE		C(6)	
MISC2_DATE		C(6)	
MISC3_DATE		C(6)	
FIELD1		C(30)	
FIELD2		C(30)	
FIELD3		C(30)	
FIELD4		C(30)	
FIELD5		C(30)	
FIELD6		C(30)	
SOADDRESS		C(1)	
SKIPWORKORDERS		C(1)	
SKIPPURCHORDERS		C(1)	
SKIPSERVORDERS		C(1)	
ORDERLEADTIME		C(4)	Order Lead Time in days (+/-)
PRINTPREFERENCE		C(1*)	
TERMINATOR		C(1*)	
SALESTAXPCT		N(10*)	
AMOUNT2		N(10*)	
AMOUNT3		N(10*)	
AMOUNT4		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: VENDORCONTACTS -- Vendor Contacts **FILE: VMF20**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
CONTACTNAME1		C(100*)	
CONTACTTITLE1		C(100*)	
CONTACTEMAIL1		C(100*)	
CONTACTPHONE1		C(10*)	
CONTACTEXT1		C(10*)	
CONTACTTYPE1		C(1*)	
CONTACTNAME2		C(100*)	
CONTACTTITLE2		C(100*)	
CONTACTEMAIL2		C(100*)	
CONTACTPHONE2		C(10*)	
CONTACTEXT2		C(10*)	
CONTACTTYPE2		C(1*)	
CONTACTNAME3		C(100*)	
CONTACTTITLE3		C(100*)	
CONTACTEMAIL3		C(100*)	
CONTACTPHONE3		C(10*)	
CONTACTEXT3		C(10*)	
CONTACTTYPE3		C(1*)	
CONTACTNAME4		C(100*)	
CONTACTTITLE4		C(100*)	
CONTACTEMAIL4		C(100*)	
CONTACTPHONE4		C(10*)	
CONTACTEXT4		C(10*)	
CONTACTTYPE4		C(1*)	

TABLE: VENDORDEVFILE -- Development Vendor File **FILE: MAR29**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
VENDORNUMBER	*	C(6)	
ALTERNATEFLAG		C(1)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: VENDORELECTRONIC

FILE: VMF15

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
ITKREMITTANCE		C(1)	
EPAYMENTID		C(12)	
EPAYMENTACCTNUM		C(12)	
BANKROUTINGNUM		C(9)	
ACCOUNTNUMBER		C(17)	
BANKVENDORNAME		C(22)	
BANKVENDORNUMBER		C(15)	
PRENOTE		C(1)	
LASTPAYMENTDATE		C(6)	
LASTPAYMENTNO		C(6*)	
LASTPAYMENT		N(12*)	



MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: VENDORMASTER -- VENDOR MASTER FILE

FILE: VMF01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
VENDORNUMBER	*	C(6)	
VENDORNAME		C(24)	
ADDRESS1		C(24)	
ADDRESS2		C(24)	
CITY		C(13)	
STATE		C(2)	
ZIPCODE		C(9)	
PHONENUMBER		C(10)	
ALPHASORT		C(8)	
PAYCYCLE		C(2)	
OPENED_DATE		C(6)	
LASTACTVTY_DATE		C(6)	
SUBFLAG		C(1)	
TERMSCODE		C(2)	
DEFAULTGLACCT		C(9)	
W9RECEIVEDFLAG		C(1)	
INSCERTREQDFLAG		C(1)	
LIENFLAG		C(1)	
FEDERALIDNUMBER		C(12)	
FORM1099FLAG		C(1)	
GROUPCODE		C(10)	
CONTACTNAME		C(24)	
SEPERATECHKFLAG		C(1)	
INEXP_DATE		C(6)	
WRKCMPEXP_DATE		C(6)	
AUTOLIABEXP_DATE		C(6)	
EXCESSEXP_DATE		C(6)	
OTHEREXP_DATE		C(6)	
FAXNUMBER		C(10)	
CELLNUMBER		C(10)	
EMAILADDRESS		C(80)	
REMARKS		C(60)	
PAGERNUMBER		C(10)	
WEBSITE		C(75)	
MISC1_DATE		C(6)	
MISC2_DATE		C(6)	
MISC3_DATE		C(6)	
OUTOFSTATE		C(1)	
MINORITYCON		C(1)	
PRINTPREFERENCE		C(1)	
FIELD1		C(29)	
FIELD2		C(30)	
FIELD3		C(30)	
FIELD4		C(30)	
FIELD5		C(30)	
FIELD6		C(30)	
INACTIVE		C(1)	
NHQFLAG		C(1)	
NHQHOLD		C(1)	
TERMINATOR		C(1*)	
PURCHASESMTD		N(10*)	
RETURNSMTD		N(10*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: VENDORMASTER -- VENDOR MASTER FILE **FILE: VMF01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
PURCHASESYTD		N(11*)	
RETURNSYTD		N(10*)	
OPENBALANCE		N(10*)	
OPENRETENTION		N(10*)	
NUMBERINVOICES		N(5*)	

TABLE: VENDORTAXFILE -- Development Vendor Tax File **FILE: MAR30**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
VENDORNUMBER	*	C(6)	
SALESTAXPERCENT		N(10*)	

TABLE: VIEW1 -- View **FILE:**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE		C(20)	View Column
DESCRIPTION		C(20)	
DEVELOPMENTCODE		C(20)	
ELEVATIONCODE		C(20)	
MODELCODE		C(20)	
OPTIONCODE		C(20)	

TABLE: VPOAPPROVALTYPES -- VPO Approval Types **FILE: ITK02**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TYPECODE	*	C(10)	
DESCRIPTION		C(50*)	
FIELD1		C(50*)	
FIELD2		C(50*)	

TABLE: VPOAPPROVENOTIFY -- VPO Approvers / Notifiers **FILE: ITK03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
TYPECODE	*	C(10)	
USERID	*	C(40)	
APPROVNOTIFYFLAG	*	C(1)	
FIELD1		C(40*)	
FIELD2		C(40*)	
VPOMAXLIMIT		N(10*)	
AMOUNT2		N(10*)	





MARK SYSTEMS
 DATA STRUCTURES REPORT
 IHMS 3.1001.3

TABLE: VPOGROUPS -- VPO Groups **FILE: ITK01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
GROUPCODE	*	C(10)	
DESCRIPTION		C(50*)	
FIELD1		C(50*)	
FIELD2		C(50*)	

TABLE: VPOREQUESTS **FILE: ITK04**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
REQUESTNUMBER	*	C(10)	
REQUESTDATE		C(6)	
VENDORNUMBER		C(6)	
COMPANYCODE		C(3)	
DEVELOPMENTCODE		C(2)	
UNPACKEDHOUSENUM		C(10)	
COSTCODE		C(5)	
VARIANCECODE		C(2)	
TYPECODE		C(10)	
DELIVERYADDRESS1		C(24)	
DELIVERYADDRESS2		C(24)	
DELIVERYADDRESS3		C(24)	
DESCRIPTION		C(300)	
ITEMDESCRIPTION		C(60)	
USERID		C(40)	
SHIPVIA		C(24)	
CREATEDDATE		C(6)	
CREATEDTIME		C(5)	
BACKCHARGEVENDOR		C(6)	
APPROVERID		C(40)	
APVDNYDATE		C(6)	
STATUS		C(1)	
COMMENTS		C(400)	
PONUMBER		C(6)	
REQUESTEDBY		C(50)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	
SALESTAXPCT		N(10*)	
SALESTAXAMOUNT		N(10*)	
BACKCHARGEAMOUNT		N(10*)	
RQSTRFAULTPCT		N(3*)	





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: WARCOSTDETAIL **FILE: SIG54**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
TRANSACTION_DATE	*	C(6)	
SEQUENCENUMBER	*	C(5)	
SOURCECODE		C(2)	
REMARKS		C(52)	
OPTIONCODE		C(5)	
VARIANCECODE		C(2)	
MEMO		C(24)	
BATCHNUM		C(10)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	

TABLE: WARCOSTSUMMARY **FILE: SIG53**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2*)	
BUDGETAMOUNT		N(10*)	
ACTUAL		N(10*)	
ORIGINALBUDGET		N(10*)	

TABLE: WARLETTERS **FILE: MAR27**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
SEQUENCENUMBER	*	C(4)	
ENTRY_DATE		C(6)	
SERVICEORDERNUM		C(5)	
DETAIL		C(900)	

TABLE: WARLOCATIONCODES -- WARRANTY LOCATION CODES **FILE: EYA11**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	COMPANY CODE
LOCATIONCODE	*	C(3)	
DESCRIPTION		C(24)	
TERMINATOR		C(1*)	TERMINATOR





MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: WARPRINTQUEUE -- WARRANTY SERVICE ORDER PRINT QUEUE **FILE: SIG29**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
SERVICEORDERNUM	*	C(5)	
TERMINATOR		C(1*)	

TABLE: WARRANTYLISTTYPE -- **FILE: MAR04**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
LISTTYPECODE	*	C(1)	
DESCRIPTION		C(15)	

TABLE: WARRANTYMASTER -- Warranty MasterFile **FILE: SIG28**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
SERVICEORDERNUM	*	C(5)	
SO_DATE		C(6)	
VENDORNUMBER		C(6)	
DESCRIPTION		C(900)	
COMPLETION_DATE		C(6)	
COMMENTS		C(60)	
VARIANCECODE		C(3)	
SERVICE_DATE		C(6)	
STARTTIME		C(4)	
STAMPM		C(1)	
DELINQUENT_DATE		C(6)	
JUSTIFIEDFLAG		C(1)	
ENDTIME		C(4)	
ETAMPM		C(1)	
LISTTYPE		C(1)	
LOCATIONCODE		C(3)	
SERVICEREP CODE		C(10)	
NOTE		C(25)	
F_SERVICEREP CODE		C(10)	
VENDNO_ATFAULT		C(6*)	VENDOR NO AT FAULT

TABLE: WARRANTYNOTES -- **FILE: MAR12**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
NOTE	*	C(25)	
DESCRIPTION		C(100*)	
TEXT		C(4000)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: WARRANTYPO **FILE: MAR24**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
HOUSENUMBER	*	C(4)	
SERVICEORDERNUM	*	C(5)	
PONUMBER	*	C(6)	
STATUSCODE		C(1)	

TABLE: WARRVARCODES **FILE: SGS04**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	VARIANCECODE
VARIANCECODE	*	C(3)	
DESCRIPTION		C(15)	
TERMINATOR		C(1*)	TERMIN ATOR

TABLE: WARSERVICEREPS **FILE: MAR20**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
SERVICEREPNAME	*	C(30)	
SERVICEREPID		C(10)	
PHONENUMBER		C(10)	
FAXNUMBER		C(10)	
BEEPERNUMBER		C(10)	
CELLNUMBER		C(10)	
EMAILADDRESS		C(80)	
FIELD1		C(20*)	
FIELD2		C(20*)	
FIELD3		C(20*)	
FIELD4		C(20*)	

TABLE: WEBACCOUNTS -- ITK WEB ACCOUNTS **FILE: MARW01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
USERID	*	C(40)	
PASSWORD		C(15*)	
LOGINCODE		C(1*)	
CLIENTTYPE		C(1*)	
FULLNAME		C(40*)	
COMPANY_NAME		C(40*)	
SETUPDATE		C(6*)	
EXPIRATIONDATE		C(6*)	
STARTINDEX		C(300*)	
GROUPCODE		C(10*)	
EMAILADDRESS		C(50*)	
VNOTIFYFLAG		C(1*)	
VMAXLIMIT		N(10*)	
LASTLOGINDATE		C(6*)	
LASTLOGINTIME		C(5*)	
FIRSTLOGINFLAG		C(1*)	





MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: WOAPPROVEDQUEUE --

FILE: WOS03

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
WORKORDERNUMBER	*	C(8)	
DEVELOPMENTCODE		C(2)	
STATUSCODE		C(1)	
APPROVEDDATE		C(6)	
USERID		C(40)	Web User Id
FIELD1		C(10*)	
FIELD2		C(10*)	
FIELD3		C(10*)	
FIELD4		C(10*)	

TABLE: WOHISTORYDETAIL

FILE: WOH02

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
WORKORDERNUMBER	*	C(8)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
CONTRACTNUMBER	*	C(6)	
OPTIONCODE		C(5*)	
AMOUNT		N(12*)	
OPTIONQUANTITY		N(10*)	
SALESTAXAMOUNT		N(12*)	

TABLE: WOHISTORYHEADER

FILE: WOH01

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
WORKORDERNUMBER	*	C(8)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VENDORNUMBER		C(6)	
CONTRACTNUMBER		C(6)	
PVC1		C(30)	
WORKORDER_DATE		C(6)	
INVOICEPOSTDATE		C(6)	
COMMENTS		C(300)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	
SALESTAXPERCENT		N(10*)	



MARK SYSTEMS
DATA STRUCTURES REPORT
IHMS 3.1001.3

TABLE: WO HISTORYUPGRADE **FILE: WOH03**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
WORKORDERNUMBER	*	C(8)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
CONTRACTNUMBER	*	C(6)	
SELECTIONSEQ	*	C(2)	
SELECTIONDESC		C(30)	
CHOICEDESC		C(40)	
COLORDESCRIPTION		C(100)	
PVC		C(2)	
TERMINATOR		C(1*)	
UNITS		N(10*)	
COST		N(10*)	

TABLE: WOPRINTQUEUE **FILE: AND23**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
DEVELOPMENTCODE	*	C(2)	
WORKORDERNUMBER	*	C(8*)	

TABLE: WORKORDERDETAIL **FILE: CHI01**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
WORKORDERNUMBER	*	C(8)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
CONTRACTNUMBER	*	C(6)	
OPTIONCODE		C(5*)	
AMOUNT		N(12*)	
OPTIONQUANTITY		N(10*)	
SALESTAXAMOUNT		N(12*)	



MARK SYSTEMS
DATA STRUCTURES REPORT

IHMS 3.1001.3

TABLE: WORKORDERHEADER **FILE: AND07**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
WORKORDERNUMBER	*	C(8)	
DEVELOPMENTCODE		C(2)	
HOUSENUMBER		C(4)	
CATEGORYCODE		C(3)	
COSTCODE		C(2)	
VENDORNUMBER		C(6)	
CONTRACTNUMBER		C(6)	
PVC1		C(30)	
WORKORDER_DATE		C(6)	
COMMENTS		C(300)	
TERMINATOR		C(1*)	
AMOUNT		N(10*)	
SALESTAXPERCENT		N(10*)	

TABLE: WOUPGRADEDDETAIL -- WORK ORDER HOUSE OPTION UPGRADE DETAIL **FILE: QTR10**

FIELD	PRIMARY KEY	TYPE	DESCRIPTION
COMPANYCODE	*	C(3)	
WORKORDERNUMBER	*	C(8)	
CATEGORYCODE	*	C(3)	
COSTCODE	*	C(2)	
CONTRACTNUMBER	*	C(6)	
SELECTIONSEQ	*	C(2)	
SELECTIONDESC		C(30)	
CHOICEDESC		C(40)	
COLORDESCRIPTION		C(100)	
PVC		C(2)	
TERMINATOR		C(1*)	
UNITS		N(10*)	
COST		N(10*)	

